



HALEX®

BEYOND THE CURRENT

Electrical Distributors



PRODUCT CATALOG

JULY 2025

BEYOND THE CURRENT
CONTRACTOR CLEAR PACKS®
BRAND NEW CCP DESIGN



EMT FLEX NM RGD ACC



Customer Service Contact:
1-800-749-3261 • CS@halexco.com

PATENTED
INNOVATION TO
DRIVE SALES!

Introducing a new innovative way to merchandise and sell our most popular products in higher quantities. Our new Contractor Clear Packs (CCPs) are more durable, easier to stack, and come with theft resistant closures. They protect the product and your profits!

- EASY TO STOCK
- EASY TO ORGANIZE
- EASY TO SELL

Available through out
these select categories!

101 Production Drive • Harrison, OH 45030
1-800-749-3261 • halexco.com

TABLE OF CONTENTS

Catalog Parts Numbering System2
Best Sellers.....5
UNIVERSAL STRAPS
One and Two Hole Straps8
ELECTRICAL METALLIC TUBING FITTINGS
Set-Screw Connectors10-11
Set-Screw Couplings12
Compression Connectors.....13-14
EMT To LQD Compression Couplings.....14
Compression Couplings.....15
EMT To RGD Compression Couplings15
Rain Tight Compression Connectors16
Rain Tight Compression Couplings.....17
Flex-To-EMT Couplings.....17
EMT Insulation Bushings.....18
EMT-To-Rigid Combination Couplings18
EMT-To-Non-Metallic Combination Couplings ...18
EMT-To-Box Offset Connectors -
Set-Screw Type19
EMT-To-Box Offset Connectors -
Compression Type.....19
EMT-To-EMT Pull Elbows.....19
EMT RGD 90° Pull Elbow19
EMT-To-Box Pull Elbows.....20
EMT / Rigid-To-EMT / Rigid
Combination Elbows.....20
EMT / Rigid-To-Box Combination Elbows20
EMT-To-EMT Inside-Corner Pull Elbows20
90° Compression Elbows - Short Radius21
90° Compression Elbows - Large Radius.....21
90° Compression Connector.....21
90° Set-Screw Elbows - Large Radius.....21
90° Elbows.....22
45° Elbows.....22
Speed Thread One Hole Strap23
One-Hole Straps.....23
EMT RGD Clampbacks.....23
Two-Hole Straps.....24
EMT RGD Strut Clamps.....24
Drive Straps24
EMT / Rigid Combo Conduit Bodies.....25-30
Conduit Body Cover30
FLEXIBLE METALLIC CONDUIT FITTINGS
Screw-In Connectors32
Screw-In Couplings32
Set-Screw Connectors33
Saddle Connectors33
Squeeze Connectors34
AC (BX) Connectors34
Clamp Connectors.....35
Duplex Connectors.....35
90° Duplex Connectors35
Flex-To-EMT Couplings.....36
MC Snap-In Connectors36
MC Snap-In Duplex Connector36
Cut-In Snap Lock Connector.....37
MC-AC-Flex Double Snap Connector37
Double Snap In Lock 90° BX Connector37
AC / MC One-Hole Strap.....37
BX Strap37
90° Connectors38
Anti-Short Bushings38
NON-METALLIC SHEATHED CABLE FITTINGS
Push-In Cable Connectors.....40
Plastic Cable Connectors.....40
Clamp Connectors.....40
Clamp Connectors - Service Entrance.....40
Clamp Connectors - Snap-In41

Clamp Connectors - Two-Piece41
Clamp Connectors - Combination41
Saddle Connectors41
Duplex Connectors.....42
Water-Tight UF Connectors.....42
EMT-To-Non-Metallic Combination Couplings ...42
One-Hole Straps.....42
LIQUID-TIGHT CONDUIT FITTINGS
Straight Liquid Tight Connectors - One-Piece ...44
Straight Liquid Tight Connectors - Multi-Piece...44
90° Liquid Tight Connectors - One-Piece45
90° Liquid Tight Connectors - Multi-Piece45
Straight Liquid Tight Connectors46
45° Liquid Tight Connectors46
90° Liquid Tight Connectors47
Straight Quick-Set Liquid Tight Connectors47
90° Quick-Set Liquid Tight Connectors48
LQD EMT Couplings.....48
LQD RGD Couplings.....48
Screw-In Couplings48
RIGID CONDUIT FITTINGS
Set-Screw Connectors50
Set-Screw Couplings50-51
Compression Connectors.....51
Compression Couplings.....52
Rigid-To-EMT Couplings.....52
Rigid Three-Piece Couplings52
Aluminum Couplings.....53
90° Short Radius Elbows.....53
Rigid Couplings.....53
Rigid To Rigid Pull Elbows54
EMT/Rigid-To-EMT/Rigid Combo Elbows.....54
Pull Elbow Couplings.....54
EMT/Rigid-To-Box Combo Elbow54
90° Large Radius Elbows.....54
Rigid-To-Box Pull Elbows.....55
45° Rigid Elbows.....55
90° Short Radius Elbows.....55
90° Rigid Elbows.....55
90° Elbows - Aluminum.....56
Offset Nipples.....56
Chase Nipples.....56
Conduit Nipples57-59
Water-Tight Conduit Hubs.....60
Water-Tight Conduit Hubs With Bonding Screw. 60
Box Spacers.....60
Conduit Bushings.....61
Plastic Bushings61
Reducing Washers62
Conduit Locknuts62-63
Sealing Conduit Locknuts.....63
Grounding Locknuts.....63-64
Insulated Metallic Grounding Bushing64
Clamp Backs64
Reducing Bushings.....65
One-Hole Strap Malleable Iron.....65
Clamp Back And One Hole Strap.....65
Speed Thread One Hole Strap66
One-Hole Straps.....66
Two-Hole Straps67
Rigid / EMT Combo Conduit Bodies.....67-69
Mogul Pulling Elbows - Type LB.....70
Threaded Conduit Bodies - No Cover.....71-72
Threaded Conduit Bodies -
With Stamped Cover.....72-74
Service Entrance ELL74
Conduit Body Covers.....74
Conduit Body Gaskets.....74

SERVICE ENTRANCE FITTINGS
One Hole Ground Strap76
One-Hole Straps (SE & SEU Cable).....76
Two-Hole Straps (SE & SEU Cable).....76
Water-Tight Connectors76
Service Entrance Caps - Clamp Type77
Oval Service Entrance Caps.....78
Oval Service Entrance Cable Hoods.....78
Slip-Fit Mast Heads.....78
PVC Service Entrance Caps78
Conduit Sill Plates79
Clamp Connectors - Service Entrance.....79
Kenny Clamps.....79
Offset Bottom Reducers80
Conduit Supports (Lag Screw)80
Conduit Supports (Bolt Nut Washer).....80
Service Drop Brackets.....80
Fork Bolts80
Adjustable Porcelain Wireholder81
Porcelain Wireholders81
Roof Flashings81
Electric Pane Washers.....81
Long Service Entrance ELL.....82
Wedge Clamp Connectors82
ACCESSORIES
Cable Staples For SEU and Range Cable84
Plastic Insulating Staples.....84
Strain Relief Cord Connector84
Non-Metallic Strain Relief Cord Connector.....84
Knockout Seals85
3 Piece Knockout Seals.....85
Switch Box Supports85
Snap In Bushings.....85
Universal Snap In Bushings86
Nail Plates86
Jack Chain86
"S" Hook86
"Sky Tie" Cable Clamps.....86
Extension Springs.....87
Duct Seal87
Fixture Hangers87
Conduit Hangers87
SPEED THREAD Conduit Hanger87
Beam Clamps88
GROUNDING AND BONDING FITTINGS
Ground Clamps (Bare Wire)90
Ground Clamps (Bare Wire) - For Direct Burial .91
Ground Clamps (Armored Cable).....92
Ground Rod Clamps.....92
Ground Screws92
Ground Wires.....92
Ground Clips.....93
Split Bolt Connectors.....93
Split Bolt Connectors (With Spacer Bar).....93
Solderless Terminal Lugs.....93
DISCONNECT
Fused ACD96
Non-Fused AC Disconnects.....96
Non-Metallic ACD96
AC Whips.....96
INDEX
.....97 - 101

There are four CCPs/Carton
Halex uses UL ratings

Halex uses a part numbering system that allows users to quickly distinguish three key pieces of information: **Material Type, Trade Size, and Pack Format**. The first digit of our part number defines material type. The last two numerals define the trade size. Finally, if there is a B at the end of a part number it identifies it as a bulk or high-count item. Below is a key and an example so you can familiarize yourself with the numbering system:

12105B

1 = Zinc 05 = 1/2" B = BULK

First Digit	Material Type
0, 1	Zinc
3	Brass, Bronze, Copper, Malleable Iron
5	Zinc Die Cast or Stamped Aluminum
7	Plastic
8, 9	Zinc with Insulated Throat or Gasket

At Halex, our packaging system is meticulously crafted to ensure the highest quality and convenience for our customers and end users. Below, you'll find an overview of our packaging and how it is presented in our catalog.

- **PCS/PKG Column:** Indicates the number of individual pieces in one sellable pack.
- **TOTAL CTN QTY Column:** Indicates the number of sellable packs in one carton.

A sellable unit can be an individually labeled piece, or multiple pieces inside a bag, box, or Contractor Clear Pack. A carton contains multiple sellable units grouped together. Please see the example below for further clarification.

Example: ONE-HOLE STRAPS

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	3/4"	96112	4 / BAG	10 BAGS	2.54
	1 1/4"	96114	1	10	1.12

In this scenario, part number **96114** is an *individually labeled* piece and sold separately, and there are **10 pieces in the carton**. In comparison, part number **96112** is a *bagged item* that has **4 pieces per package** and a total of **40 pieces in the carton** (4 pieces per bag x 10 bags = 40 total pieces).



Corrosion Resistant Air Conditioner Disconnects


ABOUT THE NMHNF60R

The 60 AMP Non Metallic Non-Fusible ACD is the latest in a line of innovative products from Halex. This ACD is made with the electrical and HVAC professionals in mind. The patent pending knock out seals are easier to take out so installers remove the right size faster and with less effort. In addition this product uses a proprietary material to extend the products life in costal applications. Easy to stock. Easy to sell. Easy to install. Halex is proud to take these products Beyond the Current.

PRODUCT BENEFITS

- **Designed for costal applications:** Innovative corrosion resistant material. PPE-PS (polyphenylene-polystyrene) resist the effects of coastal salt air better than anything on the market
- **NEMA 3R rating and UL94V-0 fire rating**
- **Concentric Knock Outs:** Knock out the correct size with less effort and more accuracy
- **Built in security:** The disconnect has a durable padlock feature for securing the box after installation
- **Easier installation:** Durable 180° swing hinge makes working within the disconnect box easier
- **Simplify mounting:** Requires just 2 points for safe secure mounting to walls

60 AMP Non-Fusible



NMHNF60R

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
	60 AMP	NMHNF60R	Single Box	1 BOX	0.75
	60 AMP	NMHNF60R10	MasterPack	10 BOXES	7.50

Speed Thread One Hole Conduit Straps

PRODUCT BENEFITS

Speed Thread conduit straps come pre-threaded with a captive screw. They are easier to install, reducing installation time by up to 30%. Never lose a screw again because these screws are captive and will not fall out during installation. Simplify your job, and your parts list, by having both the screw and strap all in one.

NEW CONTRACTOR CLEAR PACKS



RGD					
	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	1/2"	61705B	40 / CCP	4 CCP's	7.4
	3/4"	61707B	20 / CCP	4 CCP's	5.3

EMT					
	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	1/2"	61305B	50 / CCP	4 CCP's	6.3
	3/4"	61307B	40 / CCP	4 CCP's	7.8

BEST SELLERS

EMT SET SCREW CONNECTORS

12101B Page 10



FLEX CLAMP COMBINATION CONNECTORS

05711B Page 35



FLEX AC/MC ONE-HOLE STRAPS

62180B Page 37



NM PUSH-IN CONNECTORS

75105B Page 40



NM CLAMP CONNECTORS

05103B Page 40
05107B Page 40



BEST SELLERS



**RGD THREADED CONDUIT BODY
WITH COVER AND GASKET TYPE LB**

58607B Page 72




ACC NAIL PLATES

62899 Page 86



ACD 60 AMP NON-FUSED AC DISCONNECT

HNF60R Page 96



• One and Two Hole Straps.... 8

UNIVERSAL ONE AND TWO HOLE STRAPS

UNIVERSAL ONE-HOLE STRAPS

Steel

- **APPLICATION:** Use to support EMT, RGD, FMC, or LQD conduit. Indoors or outdoors.
- **FEATURES:**
 - 1/2" Fits - EMT, RGD, FMC, LQD
 - 3/4" Fits - EMT, RGD, FMC, LQD



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	1/2"	62105B	75 / CCP	4 CCP's	8.4
	3/4"	62107B	50 / CCP	4 CCP's	9.6

UNIVERSAL TWO-HOLE STRAPS

Steel

- **APPLICATION:** Use to support EMT, RGD, FMC, or LQD conduit. Indoors or outdoors.
- **FEATURES:**
 - 1/2" Fits - EMT, RGD, FMC, LQD
 - 3/4" Fits - EMT, RGD, FMC, LQD



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	1/2"	62205B	80 / CCP	4 CCP's	7.0
	3/4"	62207B	80 / CCP	4 CCP's	8.4



- Set-Screw Connectors..... 10-11
- Set-Screw Couplings..... 12
- Compression Connectors/ Couplings..... 13-17
- Combination Couplings..... 17-18
- Insulation Bushings.... 18
- Offset Connectors 19
- Elbows 19-22
- Straps..... 23-24
- Clampbacks..... 23
- Strut Clamps 24
- Conduit Bodies 25-30



ELECTRICAL METALLIC TUBING FITTINGS

SET-SCREW CONNECTORS

Zinc Die Cast

- **APPLICATION:** Used to connect EMT conduit to steel outlet box, load center, or other metal enclosure. Indoors only. Not rated for burial.
- **FEATURES:**
 - 1/2" and 3/4" Concrete tight
 - 1"- 4" Concrete tight when taped



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	1/2"	12101B	50 / CCP	4 CCP's	32.71
	3/4"	12301B	25 / CCP	4 CCP's	28.21
	3/4"	12111B	20 / CCP	4 CCP's	28.76
BULK	1"	12110B	20 / BOX	1 BOX	31.25
	1 1/4"	12112B	25 / BOX	1 BOX	26.29
	1 1/2"	12115B	15 / BOX	1 BOX	22.51
	2"	12120B	10 / BOX	1 BOX	21.57
	2 1/2"	12125B	12 / BOX	1 BOX	9.82
	3"	12130B	12 / BOX	1 BOX	12.73
	3 1/2"	12135B	10 / BOX	1 BOX	12.29
	4"	12140B	6 / BOX	1 BOX	9.24



WITH INSULATED THROAT

BULK	1/2"	92105B	50 / BOX	1 BOX	31.55
	3/4"	92107B	25 / BOX	1 BOX	
	1"	92110B	20 / BOX	1 BOX	23.31
	1 1/4"	92112B	25 / BOX	1 BOX	
	1 1/2"	92115B	15 / BOX	1 BOX	16.95
	2"	92120B	10 / BOX	1 BOX	
	2 1/2"	92125B	12 / BOX	1 BOX	
	3"	92130B	12 / BOX	1 BOX	
	3 1/2"	92135B	10 / BOX	1 BOX	12.35
	4"	92140B	6 / BOX	1 BOX	



SET-SCREW CONNECTORS

Steel

- **APPLICATION:** Used to connect EMT conduit to steel outlet box, load center, or other metal enclosure. Indoors only.
- **FEATURES:** Concrete tight when taped



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	1/2"	62705B	50 / CCP	4 CCP's	48.98
	3/4"	62707B	25 / CCP	4 CCP's	28.52
	1"	62711B	20 / CCP	4 CCP's	37.56
BULK	1"	62710B	20 / BOX	1 BOX	45.41
	1"	62770B	15 / BOX	1 BOX	
	1 1/4"	62712B	25 / BOX	1 BOX	9.12
	1 1/2"	62715B	25 / BOX	1 BOX	6.32
	2"	62720B	20 / BOX	1 BOX	12.70
	2 1/2"	62725B	12 / BOX	1 BOX	15.22
	3"	62730B	12 / BOX	1 BOX	10.64
	3 1/2"	62735B	12 / BOX	1 BOX	
	4"	62740B	6 / BOX	1 BOX	15.19



WITH INSULATED THROAT

CCP	1/2"	82705B	50 / CCP	4 CCP's	51.66
	3/4"	82707B	25 / CCP	4 CCP's	39.66
BULK	1"	82710B	20 / BOX	1 BOX	45.41
	1 1/4"	82712B	25 / BOX	1 BOX	9.09
	1 1/2"	82715B	25 / BOX	1 BOX	11.52
	2"	82720B	20 / BOX	1 BOX	
	2 1/2"	82725B	12 / BOX	1 BOX	
	3"	82730B	12 / BOX	1 BOX	
	3 1/2"	82735B	6 / BOX	1 BOX	
	4"	82740B	6 / BOX	1 BOX	15.16



SET-SCREW COUPLINGS

Zinc Die Cast

- **APPLICATION:** Used to join two lengths of EMT conduit together. Use one coupling for every 10" of pipe Indoors only.
- **FEATURES:**
 - 1/2" and 3/4" Concrete tight
 - 1"- 4" Concrete tight when taped



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	1/2"	12201B	50 / CCP	4 CCP's	34.81
	3/4"	12401B	25 / CCP	4 CCP's	26.91
	1"	12211B	15 / CCP	4 CCP's	22.36
BULK	1"	12210B	20 / BOX	1 BOX	29.65
	1 1/4"	12212B	25 / BOX	1 BOX	30.14
	1 1/2"	12215B	15 / BOX	1 BOX	23.95
	2"	12220B	5 / BOX	1 BOX	12.92
	2 1/2"	12225B	12 / BOX	1 BOX	10.28
	3"	12230B	12 / BOX	1 BOX	13.10
	3 1/2"	12235B	10 / BOX	1 BOX	
	4"	12240B	6 / BOX	1 BOX	10.43



SET-SCREW COUPLINGS

Steel

- **APPLICATION:** Used to join two lengths of EMT conduit together. Indoors only.
- **FEATURES:** Concrete tight when taped




	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	1/2"	62805B	50 / CCP	4 CCP's	43.10
	3/4"	62807B	25 / CCP	4 CCP's	36.66
	1"	62809B	10 / CCP	4 CCP's	19.96
BULK	1"	62810B	10 / BOX	1 BOX	27.20
	1"	62811B	10 / BOX	1 BOX	27.20
	1 1/4"	62812B	25 / BOX	1 BOX	11.02
	1 1/2"	62815B	25 / BOX	1 BOX	14.14
	2"	62820B	20 / BOX	1 BOX	13.78
	2 1/2"	62825B	12 / BOX	1 BOX	20.74
	3"	62830B	12 / BOX	1 BOX	21.93
	3 1/2"	62835B	6 / BOX	1 BOX	13.64
	4"	62840B	6 / BOX	1 BOX	



COMPRESSION CONNECTORS

Zinc Die Cast

- **APPLICATION:** Used to connect EMT conduit to steel outlet box, load center, or other metal enclosure. Indoors only.
- **FEATURES:** Concrete tight



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	1/2"	02101B	50 / CCP	4 CCP's	46.56
	3/4"	02301B	25 / CCP	4 CCP's	34.31
	1"	02111B	15 / CCP	4 CCP's	45.76
BULK	1"	02110B	20 / BOX	1 BOX	45.45
	1 1/4"	02112B	25 / BOX	1 BOX	36.66
	1 1/2"	02115B	15 / BOX	1 BOX	34.36
	2"	02120B	10 / BOX	1 BOX	32.03
	2 1/2"	02125B	12 / BOX	1 BOX	13.84
	3"	02130B	12 / BOX	1 BOX	16.86
	3 1/2"	02135B	10 / BOX	1 BOX	17.63
	4"	02140B	6 / BOX	1 BOX	12.49



WITH INSULATED THROAT

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	82105B	25 / BOX	1 BOX	36.66
	3/4"	82107B	25 / BOX	1 BOX	
	1"	82110B	20 / BOX	1 BOX	
	1 1/4"	82112B	25 / BOX	1 BOX	
	1 1/2"	82115B	15 / BOX	1 BOX	
	2"	82120B	10 / BOX	1 BOX	
	2 1/2"	82125B	12 / BOX	1 BOX	
	3"	82130B	12 / BOX	1 BOX	
	3 1/2"	82135B	10 / BOX	1 BOX	
	4"	82140B	6 / BOX	1 BOX	



2-PIECE DESIGN

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	3/4"	02007B	25 / BOX	1 BOX	2.37



HALEX®
BEYOND THE CURRENT
halexco.com

1.800.749.3261
halexco.com

COMPRESSION CONNECTORS

Steel

- **APPLICATION:** Used to connect EMT conduit to steel outlet box, load center, or other metal enclosure. Indoors only.
- **FEATURES:** Concrete tight


Contact us for Canadian
regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	1/2"	62305B	25 / CCP	4 CCP's	33.68
	3/4"	62307B	25 / CCP	4 CCP's	51.76
	1"	62311B	10 / CCP	4 CCP's	27.86
BULK	1"	62310B	10 / BOX	1 BOX	21.45
	1 1/4"	62312B	25 / BOX	1 BOX	5.34
	1 1/2"	62315B	20 / BOX	1 BOX	11.25
	2"	62320B	15 / BOX	1 BOX	11.44
	2 1/2"	62325B	12 / BOX	1 BOX	21.96
	3"	62330B	12 / BOX	1 BOX	
	3 1/2"	62335B	6 / BOX	1 BOX	
	4"	62340B	6 / BOX	1 BOX	



WITH INSULATED THROAT

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	1/2"	82305B	25 / CCP	4 CCP's	28.42
	3/4"	82307B	25 / CCP	4 CCP's	51.76
BULK	1"	82310B	10 / BOX	1 BOX	21.45
	1 1/4"	82312B	25 / BOX	1 BOX	5.34
	1 1/2"	82315B	20 / BOX	1 BOX	11.25
	2"	82320B	15 / BOX	1 BOX	11.44
	2 1/2"	82325B	12 / BOX	1 BOX	22.52
	3"	82330B	12 / BOX	1 BOX	23.04
	3 1/2"	82335B	6 / BOX	1 BOX	
	4"	82340B	6 / BOX	1 BOX	



EMT TO LQD COMPRESSION COUPLINGS

Steel

- **APPLICATION:** Used to join EMT and LQD conduit together. Indoors only.
- **FEATURES:** Concrete tight


Contact us for Canadian
regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	64905B	25 / BOX	1 BOX	
	3/4"	64907B	20 / BOX	1 BOX	
	1"	64910B	10 / BOX	1 BOX	



COMPRESSION COUPLINGS

Zinc Die Cast

- **APPLICATION:** Used to join two lengths of EMT conduit together. Indoors only.
- **FEATURES:** Concrete tight


Contact us for Canadian
regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	1/2"	22205B	45 / CCP	4 CCP's	55.78
	3/4"	02401B	25 / CCP	4 CCP's	46.19
	1"	02211B	12 / CCP	4 CCP's	36.40
BULK	1"	02210B	20 / BOX	1 BOX	54.15
	1 1/4"	02212B	25 / BOX	1 BOX	46.08
	1 1/2"	02215B	15 / BOX	1 BOX	42.14
	2"	02220B	10 / BOX	1 BOX	36.07
	2 1/2"	02225B	12 / BOX	1 BOX	15.95
	3"	02230B	12 / BOX	1 BOX	21.11
	3 1/2"	02235B	10 / BOX	1 BOX	
	4"	02240B	6 / BOX	1 BOX	15.12



EMT TO RGD COMPRESSION COUPLINGS

Steel

- **APPLICATION:** Used to join EMT and RGD conduit together. Indoors only.
- **FEATURES:** Concrete tight


Contact us for Canadian
regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	65005B	20 / BOX	1 BOX	
	3/4"	65007B	10 / BOX	1 BOX	
	1"	65010B	10 / BOX	1 BOX	



COMPRESSION COUPLINGS

Steel

- **APPLICATION:** Used to join two lengths of EMT conduit together. Indoors only.
- **FEATURES:** Concrete tight


Contact us for Canadian
regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	1/2"	62401B	35 / CCP	4 CCP's	55.91
	3/4"	62402B	20 / CCP	4 CCP's	41.71
	1"	62411B	10 / CCP	4 CCP's	31.16
BULK	1"	62410B	10 / BOX	1 BOX	33.60
	1 1/4"	62412B	25 / BOX	1 BOX	12.28
	1 1/2"	62415B	20 / BOX	1 BOX	11.75
	2"	62420B	15 / BOX	1 BOX	11.41
	2 1/2"	62425B	12 / BOX	1 BOX	31.22
	3"	62430B	6 / BOX	1 BOX	16.59
	3 1/2"	62435B	6 / BOX	1 BOX	
	4"	62440B	6 / BOX	1 BOX	28.91



HALEX®
BEYOND THE CURRENT
halexco.com

RAIN TIGHT COMPRESSION CONNECTORS

Steel

- **APPLICATION:** Used to connect EMT conduit to steel outlet box, load center, or other metal enclosure in a wet location. Outdoors.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	1/2"	62501B	45 / CCP	4 CCP's	44.56
	3/4"	62502B	25 / CCP	4 CCP's	35.44
	1"	62570B	10 CCP	4 CCP's	39.91
BULK	1/2"	62505B	50 / BOX	1 BOX	6.43
	3/4"	62507B	25 / BOX	1 BOX	4.14
	1"	62510B	15 / BOX	1 BOX	4.06
	1"	62503B	15 / BOX	1 BOX	
	1 1/4"	62512B	20 / BOX	1 BOX	8.58
	1 1/2"	62515B	10 / BOX	1 BOX	4.95
	2"	62520B	10 / BOX	1 BOX	6.52
	2 1/2"	62525B	6 / BOX	1 BOX	11.74
	3"	62530B	6 / BOX	1 BOX	11.87
	3 1/2"	62535B	6 / BOX	1 BOX	
	4"	62540B	6 / BOX	1 BOX	16.04



WITH INSULATED THROAT

BULK	1/2"	92505B	50 / BOX	1 BOX	6.43
	3/4"	92507B	25 / BOX	1 BOX	4.28
	1"	92510B	15 / BOX	1 BOX	4.06
	1 1/4"	92512B	20 / BOX	1 BOX	4.95
	1 1/2"	92515B	10 / BOX	1 BOX	
	2"	92520B	10 / BOX	1 BOX	
	2 1/2"	92525B	6 / BOX	1 BOX	
	3"	92530B	6 / BOX	1 BOX	
	3 1/2"	92535B	6 / BOX	1 BOX	
	4"	92540B	6 / BOX	1 BOX	



RAIN TIGHT COMPRESSION COUPLINGS

Steel

- **APPLICATION:** Used to connect two lengths of EMT conduit together in a wet location. Outdoors.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	1/2"	62601B	35 / CCP	4 CCP's	59.55
	3/4"	62602B	20 / CCP	4 CCP's	36.56
	1"	62603B	10 / CCP	4 CCP's	33.16
BULK	1"	62610B	15 / BOX	1 BOX	4.91
	1 1/4"	62612B	20 / BOX	1 BOX	9.30
	1 1/2"	62615B	10 / BOX	1 BOX	5.54
	2"	62620B	10 / BOX	1 BOX	7.29
	2 1/2"	62625B	6 / BOX	1 BOX	12.21
	3"	62630B	6 / BOX	1 BOX	14.84
	4"	62640B	6 / BOX	1 BOX	21.88



FLEX-TO-EMT COUPLINGS

Zinc Die Cast

- **APPLICATION:** Used to join EMT conduit to flexible metal conduit. Indoors only.
- **SUITABLE FOR:**
 - 1/2" steel reduced wall and aluminum flexible metal conduit to EMT
 - 3/4"- 1" flexible metal conduit to EMT



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
--	------	--------	-----------	---------------	--------

SET-SCREW TYPE

BULK	1/2" - 3/8"	15105B	25 / BOX	1 BOX	
	1/2" - 1/2"	15305B	25 / BOX	1 BOX	21.75
	3/4" - 3/4"	15307B	25 / BOX	1 BOX	27.51
	1"-1"	15510B	50/ BOX	1 BOX	



COMPRESSION TO SCREW-IN TYPE

BULK	1/2"	04905B	50 / BOX	1 BOX	41.95
	3/4"	04907B	25 / BOX	1 BOX	28.95
	1"	04910B	25 / BOX	1 BOX	



CLAMP TYPE

BULK	1/2"	90605B	25 / BOX	1 BOX	
	3/4"	90607B	100 / BOX	1 BOX	



EMT INSULATION BUSHINGS

PVC

- **APPLICATION:** Used to protect cables from abrasion from edge of EMT. Installed directly onto conduit. Indoors only.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	75005B	100 / BOX	1 BOX	5.63
	3/4"	75007B	75 / BOX	1 BOX	5.13
	1"	75010B	50 / BOX	1 BOX	4.15
	1 1/4"	75012B	25 / BOX	1 BOX	3.20
	1 1/2"	75015B	25 / BOX	1 BOX	3.20
	2"	75020B	25 / BOX	1 BOX	3.46
	2 1/2"	27625B	25 / BOX	1 BOX	
	3"	27630B	25 / BOX	1 BOX	
	3 1/2"	27635B	25 / BOX	1 BOX	
	4"	27640B	25 / BOX	1 BOX	



EMT-TO-RIGID COMBINATION COUPLINGS

Steel

- **APPLICATION:** Used to join EMT conduit to Rigid metal conduit. Indoors only.


Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2" - 1/2"	15304B	25 / BOX	1 BOX	3.96
	3/4" - 3/4"	15306B	25 / BOX	1 BOX	5.06
	1"	17310B	10 / BOX	1 BOX	



EMT-TO-NON-METALLIC COMBINATION COUPLINGS

Zinc Die Cast

- **APPLICATION:** Used to join EMT conduit to non-metallic sheathed cable, fits 12/2 or equivalent size and should be limited to one cable per coupling for optimal performance. Indoors only.


Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	1/2" - NM	15301B	25 / CCP	4 CCP's	17.58
BULK	1/2" - NM	15303B	50 / BOX	1 BOX	32.25



EMT-TO-BOX OFFSET CONNECTORS

Zinc Die Cast

- **APPLICATION:** Used to connect EMT conduit to a metal outlex box or enclosure where an offset is desired. Indoors only. Not rated for wet locations


Contact us for Canadian regulatory listings

SET-SCREW TYPE

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	03705B	10 / BOX	1 BOX	12.27
	3/4"	03707B	10 / BOX	1 BOX	17.85



COMPRESSION TYPE

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	03905B	20 / BOX	1 BOX	
	3/4"	03907B	10 / BOX	1 BOX	
	1"	13905B	10 / BAG	1 BOX	



EMT-TO-EMT PULL ELBOWS

Zinc Die Cast

- **APPLICATION:** Used to connect EMT conduit together at a 90° bend. Dry location.


Contact us for Canadian regulatory listings

WITHOUT GASKET

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	14405	1 / BAG	15 BAGS	2.29
	3/4"	14407	1 / BAG	10 BAGS	3.11

WITH NEOPRENE GASKET

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	94405	1 / BAG	10 BAGS	2.10
	3/4"	94407	1 / BAG	5 BAGS	1.72
	1"	94410	1 / BAG	5 BAGS	3.36





EMT-TO-BOX PULL ELBOWS

Zinc Die Cast

- APPLICATION:** Used to connect EMT conduit to a metal box or enclosure to form a 90° bend.

Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
WITHOUT NEOPRENE GASKET					
BULK	1/2"	14305B	10 / BOX	1 BOX	
	3/4"	14307B	5 / BOX	1 BOX	



EMT / RIGID COMBINATION ELBOWS

Zinc Die Cast

- APPLICATION:** Use as a wire pulling elbow to facilitate wire pulling through a sharp bend in a run of threaded Rigid or IMC conduit. Rain tight when used with Rigid conduit. Indoors or outdoors.

Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	94505B	10 / BOX	1 BOX	
	3/4"	94507B	5 / BOX	1 BOX	
	1"	94510B	25 / BOX	1 BOX	
	1 1/4"	94512B	20 / BOX	1 BOX	



EMT / RIGID-TO BOX COMBINATION ELBOWS

Zinc Die Cast

- APPLICATION:** Used to connect a run of threaded rigid or IMC conduit to an outlet box or other metal enclosure. Suitable for outdoor locations when protected by overhead cover. Indoors or outdoors.

Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	94705B	10 / BOX	1 BOX	
	3/4"	94707B	5 / BOX	1 BOX	
	1"	94710B	25 / BOX	1 BOX	
	1 1/4"	94712B	20 / BOX	1 BOX	



EMT-TO-EMT INSIDE CORNER ELBOW

Zinc Die Cast

- APPLICATION:** Used to connect EMT conduit together on a 90° Inside corner. Indoors only

Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	14605B	10 / BOX	1 BOX	
	3/4"	14607B	5 / BOX	1 BOX	

Zinc Die Cast

90° COMPRESSION ELBOWS - SHORT RADIUS

- APPLICATION:** Used to connect EMT conduit to steel outlet box or enclosure where a close radius is desired. Indoors or outdoors.

Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	02905B	25 / BOX	1 BOX	50.88
	3/4"	02907B	20 / BOX	1 BOX	55.21



Zinc Die Cast

90° COMPRESSION ELBOWS - LARGE RADIUS

- APPLICATION:** Used to connect EMT conduit to a steel outlet box or enclosure where a close radius is desired. Indoors or outdoors.

Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	02805B	20 / BOX	1 BOX	29.77
	3/4"	02807B	10 / BOX	1 BOX	22.19



Zinc Die Cast

90° COMPRESSION CONNECTOR

- APPLICATION:** Used to connect EMT conduit to a steel outlet box or enclosure where a close radius is desired. Indoors only.

Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1"	18810B	10 / BOX	1 BOX	



Zinc Die Cast

90° SET-SCREW ELBOWS - LARGE RADIUS

- APPLICATION:** Used to connect EMT conduit to a steel outlet box or enclosure where a large radius is desired. Indoors only.

Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	02705B	20 / BOX	1 BOX	24.43
	3/4"	02707B	10 / BOX	1 BOX	19.59



90° ELBOWS

- **APPLICATION:** Used to connect EMT conduit together to allow for 90° bends. Indoors or outdoors.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	64405B	50 / BOX	1 BOX	14.09
	3/4"	64407B	50 / BOX	1 BOX	25.91
	1"	64410B	25 / BOX	1 BOX	13.41
	1 1/4"	64412B	20 / BOX	1 BOX	15.55
	1 1/2"	64415B	15 / BOX	1 BOX	31.26
	2"	64420B	10 / BOX	1 BOX	33.67
	2 1/2"	64425B	1 / BOX	1 BOX	
	3"	64430B	1 / BOX	1 BOX	
	3 1/2"	64435B	1 / BOX	1 BOX	
	4"	64440B	1 / BOX	1 BOX	

45° ELBOWS

- **APPLICATION:** Used to connect EMT conduit together to allow for 45° bends. Indoors or outdoors.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	64505B	50 / BOX	1 BOX	
	3/4"	64507B	50 / BOX	1 BOX	
	1"	64510B	35 / BOX	1 BOX	
	1 1/4"	64512B	30 / BOX	1 BOX	
	1 1/2"	64515B	15 / BOX	1 BOX	
	2"	64520B	15 / BOX	1 BOX	
	2 1/2"	64525B	1 / BOX	1 BOX	
	3"	64530B	1 / BOX	1 BOX	
	3 1/2"	64535B	1 / BOX	1 BOX	
	4"	64540B	1 / BOX	1 BOX	

SPEED THREAD

ONE HOLE STRAP SPEED THREAD

Steel

- **APPLICATION:** Used to connect two lengths of EMT conduit together in a dry location. Indoors. Captive screw included.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	1/2"	61305B	50 / CCP	4 CCP's	6.3
	3/4"	61307B	40 / CCP	4 CCP's	7.8

ONE-HOLE STRAPS

Steel

- **APPLICATION:** To support EMT conduit where greater load bearing is required. Both one-hole straps and two-hole straps are rated for the same weight and are pull tested to the same standards. Indoors or outdoors.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	1/2"	61505B	100 / CCP	4 CCP's	48.28
	3/4"	61507B	100 / CCP	4 CCP's	34.40
	1"	61511B	50 / CCP	4 CCP's	26.08
BULK	1 1/4"	61512B	50 / BOX	1 BOX	41.81
	1 1/2"	61515B	25 / BOX	1 BOX	38.91
	2"	61520B	20 / BOX	1 BOX	47.83
	2 1/2"	61125B	50 / BOX	1 BOX	
	3"	61130B	25 / BOX	1 BOX	
	3 1/2"	61135B*	25 / BOX	1 BOX	20.23
	4"	61140B*	20 / BOX	1 BOX	16.33

*Both EMT and RGD

EMT - RGD CLAMPBACKS

Steel

- **APPLICATION:** Used to provide spacing between mounting surface and conduit. Indoors or outdoors.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1"	33210B	25 / BOX	1 BOX	
	1 1/4"	33212B	10 / BOX	1 BOX	
	1 1/2"	33215B	10 / BOX	1 BOX	
	2"	33220B	5 / BOX	1 BOX	
	2 1/2"	33225B	25 / BOX	1 BOX	
	3"	33230B	10 / BOX	1 BOX	
	3 1/2"	33235B	10 / BOX	1 BOX	
	4"	33240B	10 / BOX	1 BOX	



HALEX®
BEYOND THE CURRENT
halexco.com

TWO-HOLE STRAPS

Steel

- **APPLICATION:** To support EMT conduit where greater load bearing is required. Both one-hole straps and two-hole straps are rated for the same weight and are pull tested to the same standards. Indoors or outdoors.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	1/2"	61605B	100 / CCP	4 CCP's	19.58
	3/4"	61602B	50 / CCP	4 CCP's	
	1"	61610B	50 / CCP	4 CCP's	14.70
BULK	1 1/4"	61612B	25 / BOX	1 BOX	16.80
	1 1/2"	61615B	25 / BOX	1 BOX	16.93
	2"	61620B	50 / BOX	1 BOX	26.39
	2 1/2"	61225B	25 / BOX	1 BOX	4.07
	3"	61230B	25 / BOX	1 BOX	
	3 1/2"	61235B	25 / BOX	1 BOX	7.00
	4"	61240B	20 / BOX	1 BOX	6.60

EMT / RGD STRUT CLAMPS

Steel

- **APPLICATION:** Used to secure conduit to strut. Indoors and outdoors.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	18705B	100 / BOX	1 BOX	
	3/4"	18707B	100 / BOX	1 BOX	
	1"	18710B	100 / BOX	1 BOX	
	1 1/4"	18712B	100 / BOX	1 BOX	
	1 1/2"	18715B	50 / BOX	1 BOX	
	2"	18720B	50 / BOX	1 BOX	
	2 1/2"	18725B	50 / BOX	1 BOX	
	3"	18730B	25 / BOX	1 BOX	
	3 1/2"	18735B	25 / BOX	1 BOX	
	4"	18740B	25 / BOX	1 BOX	

DRIVE STRAPS

Steel

- **APPLICATION:** To secure EMT conduit to a wood or masonry surface. Indoors or outdoors.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	1/2"	61401B	200 / CCP	4 CCP's	74.16
	3/4"	61402B	150 / CCP	4 CCP's	61.96
BULK	1"	61410B	100 / BOX	1 BOX	21.83

EMT / RIGID CONDUIT BODIES

Aluminum



Contact us for Canadian regulatory listings

WITH COVER AND GASKET ASSEMBLED

- **APPLICATION:** Used to gain access to the interior of a raceway for wire pulling, splicing (with limitations as specified by NEC), and maintenance. Suitable for outdoor locations when protected by overhead cover.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
TYPE: LL WITH GASKET & COVER					
BULK	1/2"	56205B	10 / BOX	1 BOX	
	3/4"	56207B	10 / BOX	1 BOX	
	1"	56210B	5 / BOX	1 BOX	
	1 1/4"	56212B	2 / BOX	1 BOX	
	1 1/2"	56215B	2 / BOX	1 BOX	
	2"	56220B	5 / BOX	1 BOX	

TYPE: C WITH COVER AND GASKET					
BULK	1/2"	56405B	10 / BOX	1 BOX	
	3/4"	56407B	10 / BOX	1 BOX	
	1"	56410B	5 / BOX	1 BOX	
	1 1/4"	56412B	2 / BOX	1 BOX	
	1 1/2"	56415B	2 / BOX	1 BOX	
	2"	56420B	5 / BOX	1 BOX	

TYPE: LB WITH COVER AND GASKET					
BULK	1/2"	57505B	10 / BOX	1 BOX	
	3/4"	57507B	10 / BOX	1 BOX	
	1"	57510B	5 / BOX	1 BOX	
	1 1/4"	57512B	2 / BOX	1 BOX	
	1 1/2"	57515B	2 / BOX	1 BOX	
	2"	57520B	5 / BOX	1 BOX	

TYPE: T WITH COVER AND GASKET					
BULK	1/2"	56805B	10 / BOX	1 BOX	
	3/4"	56807B	10 / BOX	1 BOX	
	1"	56810B	5 / BOX	1 BOX	
	1 1/4"	56812B	2 / BOX	1 BOX	
	1 1/2"	56815B	2 / BOX	1 BOX	
	2"	56820B	5 / BOX	1 BOX	

TYPE: LR WITH COVER AND GASKET					
BULK	1/2"	56505B	10 / BOX	1 BOX	
	3/4"	56507B	10 / BOX	1 BOX	
	1"	56510B	5 / BOX	1 BOX	
	1 1/4"	56512B	2 / BOX	1 BOX	
	1 1/2"	56515B	2 / BOX	1 BOX	
	2"	56520B	5 / BOX	1 BOX	





	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
TYPE: X WITH COVER AND GASKET					
BULK	1/2"	55505B	5 / BOX	1 BOX	
	3/4"	55507B	5 / BOX	1 BOX	
	1"	55510B	2 / BOX	1 BOX	
	1 1/4"	55512B	1 / BOX	1 BOX	
	1 1/2"	55515B	1 / BOX	1 BOX	
	2"	55520B	1 / BOX	1 BOX	

EMT / RIGID CONDUIT BODIES

WITHOUT COVER AND GASKET ASSEMBLED

- **APPLICATION:** Used to gain access to the interior of a raceway for wire pulling, splicing (with limitations as specified by NEC), and maintenance. Suitable for outdoor locations when protected by overhead cover.

Aluminum



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
TYPE LL: WITHOUT COVER AND GASKET					
BULK	1/2"	57305B	10 / BOX	1 BOX	
	3/4"	57307B	10 / BOX	1 BOX	
	1"	57310B	5 / BOX	1 BOX	
	1 1/4"	57312B	2 / BOX	1 BOX	
	1 1/2"	57315B	2 / BOX	1 BOX	
	2"	57320B	5 / BOX	1 BOX	



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
TYPE: C WITHOUT COVER AND GASKET					
BULK	1/2"	57905B	10 / BOX	1 BOX	
	3/4"	57907B	10 / BOX	1 BOX	
	1"	57910B	5 / BOX	1 BOX	
	1 1/4"	57912B	2 / BOX	1 BOX	
	1 1/2"	57915B	2 / BOX	1 BOX	
	2"	57920B	5 / BOX	1 BOX	



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
TYPE: LB WITHOUT COVER AND GASKET					
BULK	1/2"	57605B	10 / BOX	1 BOX	
	3/4"	57607B	10 / BOX	1 BOX	
	1"	57610B	5 / BOX	1 BOX	
	1 1/4"	57612B	2 / BOX	1 BOX	
	1 1/2"	57615B	2 / BOX	1 BOX	
	2"	57620B	5 / BOX	1 BOX	

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
TYPE: T WITHOUT COVER AND GASKET					
BULK	1/2"	55805B	10 / BOX	1 BOX	
	3/4"	55807B	10 / BOX	1 BOX	
	1"	55810B	5 / BOX	1 BOX	
	1 1/4"	55812B	2 / BOX	1 BOX	
	1 1/2"	55815B	2 / BOX	1 BOX	
	2"	55820B	5 / BOX	1 BOX	



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
TYPE: LR WITHOUT COVER AND GASKET					
BULK	1/2"	57705B	10 / BOX	1 BOX	
	3/4"	57707B	10 / BOX	1 BOX	
	1"	57710B	5 / BOX	1 BOX	
	1 1/4"	57712B	2 / BOX	1 BOX	
	1 1/2"	57715B	2 / BOX	1 BOX	
	2"	57720B	5 / BOX	1 BOX	



SET SCREW CONDUIT BODIES

WITH COVER AND GASKET ASSEMBLED

- **APPLICATION:** Used to gain access to the interior of a raceway for wire pulling, splicing (with limitations as specified by NEC), and maintenance. Suitable for outdoor locations when protected by overhead cover.

Aluminum



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
TYPE: LL WITH COVER AND GASKET					
BULK	1/2"	57005B	10 / BOX	1 BOX	
	3/4"	57007B	10 / BOX	1 BOX	
	1"	57010B	5 / BOX	1 BOX	
	1 1/4"	57012B	2 / BOX	1 BOX	
	1 1/2"	57015B	2 / BOX	1 BOX	
	2"	57020B	1 / BOX	1 BOX	
	2 1/2"	57025B	1 / BOX	1 BOX	
	3"	57030B	1 / BOX	1 BOX	
	3 1/2"	57035B	1 / BOX	1 BOX	
	4"	57040B	1 / BOX	1 BOX	



HALEX[®]
BEYOND THE CURRENT
halexco.com

1.800.749.3261
halexco.com

SET SCREW CONDUIT BODIES ALUMINUM CONTINUED FROM PREVIOUS PAGE

TYPE: C WITH COVER AND GASKET

BULK	1/2"	57105B	10 / BOX	1 BOX	
	3/4"	57107B	10 / BOX	1 BOX	
	1"	57110B	5 / BOX	1 BOX	
	1 1/4"	57112B	2 / BOX	1 BOX	
	1 1/2"	57115B	2 / BOX	1 BOX	
	2"	57120B	1 / BOX	1 BOX	
	2 1/2"	57125B	1 / BOX	1 BOX	
	3"	57130B	1 / BOX	1 BOX	
	3 1/2"	57135B	1 / BOX	1 BOX	
	4"	57140B	1 / BOX	1 BOX	

TYPE: LB WITH COVER AND GASKET

BULK	1/2"	58705B	10 / BOX	1 BOX	
	3/4"	58707B	10 / BOX	1 BOX	
	1"	58710B	5 / BOX	1 BOX	
	1 1/4"	58712B	2 / BOX	1 BOX	
	1 1/2"	58715B	2 / BOX	1 BOX	
	2"	58720B	1 / BOX	1 BOX	
	2 1/2"	58725B	1 / BOX	1 BOX	
	3"	58730B	1 / BOX	1 BOX	
	3 1/2"	58735B	1 / BOX	1 BOX	
	4"	58740B	1 / BOX	1 BOX	

TYPE: T WITH COVER AND GASKET

BULK	1/2"	56705B	10 / BOX	1 BOX	
	3/4"	56707B	10 / BOX	1 BOX	
	1"	56710B	5 / BOX	1 BOX	
	1 1/4"	56712B	2 / BOX	1 BOX	
	1 1/2"	56715B	2 / BOX	1 BOX	
	2"	56720B	1 / BOX	1 BOX	
	2 1/2"	56725B	1 / BOX	1 BOX	
	3"	56730B	1 / BOX	1 BOX	
	3 1/2"	56735B	1 / BOX	1 BOX	
	4"	56740B	1 / BOX	1 BOX	

SET SCREW CONDUIT BODIES ALUMINUM CONTINUED FROM PREVIOUS PAGE

TYPE: LR WITH COVER AND GASKET

BULK	1/2"	58505B	10 / BOX	1 BOX	
	3/4"	58507B	10 / BOX	1 BOX	
	1"	58510B	5 / BOX	1 BOX	
	1 1/4"	58512B	2 / BOX	1 BOX	
	1 1/2"	58515B	2 / BOX	1 BOX	
	2"	58520B	1 / BOX	1 BOX	
	2 1/2"	58525B	1 / BOX	1 BOX	
	3"	56930B	1 / BOX	1 BOX	
	3 1/2"	56935B	1 / BOX	1 BOX	
	4"	56940B	1 / BOX	1 BOX	

SET SCREW CONDUIT BODIES
WITHOUT COVER AND GASKET ASSEMBLED

- **APPLICATION:** Used to gain access to the interior of a raceway for wire pulling, splicing (with limitations as specified by NEC), and maintenance. Suitable for outdoor locations when protected by overhead cover.

Aluminum



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
TYPE: LL WITHOUT COVER AND GASKET					
BULK	1/2"	59305B	10 / BOX	1 BOX	
	3/4"	59307B	10 / BOX	1 BOX	
	1"	59310B	5 / BOX	1 BOX	
	1 1/4"	59312B	2 / BOX	1 BOX	
	1 1/2"	59315B	2 / BOX	1 BOX	
	2"	59320B	1 / BOX	1 BOX	
	2 1/2"	59325B	1 / BOX	1 BOX	
	3"	59330B	1 / BOX	1 BOX	
	3 1/2"	59335B	1 / BOX	1 BOX	
	4"	59340B	1 / BOX	1 BOX	

TYPE: C WITHOUT COVER AND GASKET

BULK	1/2"	59005B	10 / BOX	1 BOX	
	3/4"	59007B	10 / BOX	1 BOX	
	1"	59010B	5 / BOX	1 BOX	
	1 1/4"	59012B	2 / BOX	1 BOX	
	1 1/2"	59015B	2 / BOX	1 BOX	
	2"	59020B	1 / BOX	1 BOX	
	2 1/2"	59025B	1 / BOX	1 BOX	
	3"	59030B	1 / BOX	1 BOX	
	3 1/2"	59035B	1 / BOX	1 BOX	
	4"	59040B	1 / BOX	1 BOX	



HALEX®
BEYOND THE CURRENT
halexco.com



SET SCREW CONDUIT BODIES ALUMINUM CONTINUED FROM PREVIOUS PAGE

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
TYPE: LB WITHOUT COVER AND GASKET					
BULK	1/2"	58105B	10 / BOX	1 BOX	
	3/4"	58107B	10 / BOX	1 BOX	
	1"	58110B	5 / BOX	1 BOX	
	1 1/4"	58112B	2 / BOX	1 BOX	
	1 1/2"	58115B	2 / BOX	1 BOX	
	2"	58120B	1 / BOX	1 BOX	
	2 1/2"	58125B	1 / BOX	1 BOX	
	3"	58130B	1 / BOX	1 BOX	
	3 1/2"	58135B	1 / BOX	1 BOX	
	4"	58140B	1 / BOX	1 BOX	

TYPE: T WITHOUT COVER AND GASKET					
BULK	1/2"	57405B	10 / BOX	1 BOX	
	3/4"	57407B	10 / BOX	1 BOX	
	1"	57410B	5 / BOX	1 BOX	
	1 1/4"	57412B	2 / BOX	1 BOX	
	1 1/2"	57415B	2 / BOX	1 BOX	
	2"	57420B	1 / BOX	1 BOX	
	2 1/2"	57425B	1 / BOX	1 BOX	
	3"	57430B	1 / BOX	1 BOX	
	3 1/2"	57435B	1 / BOX	1 BOX	
	4"	57440B	1 / BOX	1 BOX	

TYPE: LR WITHOUT COVER AND GASKET					
BULK	1/2"	57805B	10 / BOX	1 BOX	
	3/4"	57807B	10 / BOX	1 BOX	
	1"	57810B	5 / BOX	1 BOX	
	1 1/4"	57812B	2 / BOX	1 BOX	
	1 1/2"	57815B	2 / BOX	1 BOX	
	2"	57820B	1 / BOX	1 BOX	
	2 1/2"	57825B	1 / BOX	1 BOX	
	3"	57830B	1 / BOX	1 BOX	
	3 1/2"	57835B	1 / BOX	1 BOX	
	4"	57840B	1 / BOX	1 BOX	

CONDUIT BODY COVER - WITH PLATED SCREWS

- **APPLICATION:** Used to replace broken or missing covers on conduit bodies to keep them sealed and secure. Indoor only.

Zinc



Contact us for Canadian regulatory listings

BULK	1/2"	19305B	25 / BOX	1 BOX	
	3/4"	19307B	25 / BOX	1 BOX	
	1"	19310B	25 / BOX	1 BOX	
	1 1/4" - 1 1/2"	19315B	25 / BOX	1 BOX	
	2"	19320B	25 / BOX	1 BOX	
	2 1/2" - 3"	19330B	25 / BOX	1 BOX	
	3 1/2" - 4"	19340B	10 / BOX	1 BOX	



FLEXIBLE METALLIC CONDUIT FITTINGS

- **Screw-In Connectors..... 32**
- **Screw-In Couplings..... 32**
- **Set-Screw Connectors..... 33**
- **Saddle Connectors 33**
- **Squeeze Connectors 34**
- **AC (BX) Connectors..... 34**
- **Clamp Connectors..... 35**
- **Duplex Connectors 35**
- **90° Duplex Connectors..... 35**
- **Flex-to-EMT Couplings..... 36**
- **MC Snap-In Connectors..... 36**
- **MC Snap-In Duplex Connectors..... 36**
- **Cut-In Snap Lock Connector 37**
- **MC-AC-FLEX Double Snap Connector 37**
- **Double Snap-In 90 ° BX Connector 37**
- **AC / MC One-Hole Strap..... 37**
- **BX Strap.....37**
- **90° Connectors..... 38**
- **Anti-Short Bushings 38**

SCREW-IN CONNECTORS

Zinc Die Cast

- **APPLICATION:** Used to connect flexible metallic conduit to steel outlet box, load center or other metal enclosure. Indoors only.
 - **SUITABLE FOR:**
 - 1/2" - Steel, reduced wall steel and aluminum flexible metal conduit
 - 3/8", 3/4" to 1 1/4" and 2" - Flexible metal conduit
 - 1 1/2" - Steel and reduced wall flexible metal conduit
- 
Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	3/8" (1/2" KO)	04403B	50 / CCP	4 CCP's	28.08
	1/2"	04405B	50 / CCP	4 CCP's	28.90
BULK	3/4"	04407B	25 / BOX	1 BOX	24.81
	1"	04410B	25 / BOX	1 BOX	41.19
	1 1/4"	04412B	10 / BOX	1 BOX	28.99
	1 1/2"	04415B	10 / BOX	1 BOX	15.19
	2"	04420B	10 / BOX	1 BOX	24.31

WITH INSULATED THROAT

BULK	3/8" (1/2" KO)	84403B	50 / BOX	1 BOX	27.35
	1/2"	84405B	50 / BOX	1 BOX	27.25
	3/4"	84407B	25 / BOX	1 BOX	
	1"	84410B	25 / BOX	1 BOX	
	1 1/4"	84412B	10 / BOX	1 BOX	
	1 1/2"	84415B	10 / BOX	1 BOX	
	2"	84420B	10 / BOX	1 BOX	

SCREW-IN COUPLINGS

Zinc Die Cast

- **APPLICATION:** Used to join two pieces of flexible metallic conduit. Indoors only.
 - **SUITABLE FOR:**
 - 1/2" - Steel, reduced wall steel and aluminum flexible metal conduit
 - 3/8", 3/4" to 1 1/4" and 2" - Flexible metal conduit
 - 1 1/2" - Steel and reduced wall flexible metal conduit
- 
Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	04505B	50 / BOX	1 BOX	28.45
	3/4"	04507B	25 / BOX	1 BOX	21.50
	1"	04510B	100 / BOX	1 BOX	
	1 1/4"	04512B	50 / BOX	1 BOX	
	1 1/2"	04515B	25 / BOX	1 BOX	
	2"	04520B	25 / BOX	1 BOX	

SET-SCREW CONNECTORS

Zinc Die Cast

- **APPLICATION:** Used to connect steel or aluminum flexible metallic conduit to a steel outlet box or other metal enclosure. Indoors only.
- 
Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	04805B	25 / BOX	1 BOX	26.08
	3/4"	04807B	25 / BOX	1 BOX	40.01
	3/8"	04803B	100 / BOX	1 BOX	

WITH INSULATED THROAT

BULK	1/2"	84805B	25 / BOX	10 BOXES	27.25
	3/4"	84807B	25 / BOX	1 BOX	40.01



SADDLE CONNECTORS

Zinc Die Cast

- **APPLICATION:** Used to connect flexible metallic conduit, AC, MC and NM sheathed cable to a steel outlet box or other metal enclosure. Indoors only.
 - **SUITABLE FOR:**
 - #14-2 to the largest size fittable NM sheathed cable
 - #14-2 with ground steel and aluminum armored cable -.470" diameter,
 - 3/8" steel flexible metal conduit, aluminum cont. corrugated metal clad cable 0.510-0.620" diameter
 - Aluminum smooth sheath metal clad cable 0.410-0.500" diameter
 - Aluminum interlocked metal clad cable 0.462-0.548" diameter
 - Steel interlocked metal clad cable 0.422-0.552" diameter
- 
Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	3/8" (1/2" KO)	06703B	50 / CCP	4 CCP's	37.06

WITH INSULATED THROAT


BULK	3/8" (1/2" KO)	86703B	50 / BOX	1 BOX	37.15
------	----------------	--------	----------	-------	-------



SQUEEZE CONNECTORS

Zinc Die Cast

- **APPLICATION:** Used to connect flexible metallic conduit and steel AC cable to a steel outlet box, load center or other metal enclosure. All sizes up to 1" are compatible with AC, MC, and FMC. Sizes 1 1/4" and larger exclusively compatible with FMC. Indoors only.
- **SUITABLE FOR:**
 - 3/8" steel flexible conduit,
 - .561 steel and .538 - .599
 - Aluminum interlocked metal clad cable
 - 1/2" steel flexible metal conduit and #4-2 wire steel armored cable
 - 3/4" steel flexible metal conduit and #6-3 wire steel armored cable
 - 1" steel and reduced wall steel flexible metal conduit and #2-2 wire steel armored cable
 - 1 1/4" - 4" steel flexible metal conduit



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	1/2"	04205B	25 / CCP	4 CCP's	23.60
BULK	3/8" (1/2" KO)	04203B	50 / BOX	1 BOX	32.86
	3/4"	04207B	25 / BOX	1 BOX	33.30
	1"	04210B	10 / BOX	1 BOX	20.54
	1 1/4"	04212B	10 / BOX	1 BOX	28.63
	1 1/2"	04215B	5 / BOX	1 BOX	19.47
	2"	04220B	10 / BOX	1 BOX	20.76
	2 1/2"	04225B	10 / BOX	1 BOX	9.57
	3"	04230B	5 / BOX	1 BOX	7.00
	3 1/2"	04235B	2 / BOX	1 BOX	3.37
	4"	04240B	1 / BOX	1 BOX	2.16


WITH INSULATED THROAT

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	84205B	25 / BOX	1 BOX	
	3/4"	84207B	25 / BOX	1 BOX	28.50
	1"	84210B	10 / BOX	1 BOX	22.25
	1 1/4"	84212B	10 / BOX	1 BOX	
	1 1/2"	84215B	5 / BOX	1 BOX	22.25
	2"	84220B	10 / BOX	1 BOX	20.59

AC (BX) CONNECTORS

Zinc Die Cast

- **APPLICATION:** Used to connect AC (BX) cable to a steel outlet box or other metal enclosure. Indoors only.
- **SUITABLE FOR:**
 - #14-2 steel armored cable




	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	3/8" (1/2" KO)	05803B	100 / CCP	4 CCP's	49.62

CLAMP CONNECTORS

Zinc Die Cast

- **APPLICATION:** In a dry location, use to connect flexible metallic conduit, AC, MC, or NM cable to steel outlet box or other enclosure. Indoors only.
- **SUITABLE FOR:**
 - #14/2 thru #12/3 with ground NM sheathed cable
 - #14-2 wire steel armored cable
 - 3/8" steel flexible metal conduit, aluminum continuous corrugated metal clad cable 0.365"-0.519" diameter
 - Aluminum smooth sheath metal clad cable 0.345" - 0.525" diameter
 - Aluminum interlocked metal clad cable 0.455" - 0.575" diameter
 - Rectangular aluminum continuous corrugated metal clad cable 0.277" x 0.375", steel interlocked metal clad cable 0.435" - 0.547" diameter




	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	3/8" (1/2" KO)	05711B	50 / CCP	4 CCP's	26.18
BULK	1/2"	05705B	25 / BOX	1 BOX	
	3/4"	05707B	20 / BOX	1 BOX	
	1"	05710B	10 / BOX	1 BOX	
	1 1/4"	05712B	10 / BOX	1 BOX	
	1 1/2"	05715B	5 / BOX	1 BOX	
	2"	05720B	5 / BOX	1 BOX	

DUPLEX CONNECTORS

Zinc Die Cast

- **APPLICATION:** Used to connect two pieces of flexible metallic conduit, AC, MC, or NM sheathed cable, to a steel outlet box or other metal enclosure when using only one knockout opening. Indoors only.
- **SUITABLE FOR:**
 - #14-2 thru #12-3 wire with ground NM sheathed cable
 - #14-2 wire steel armored cable
 - #14-2 wire with ground aluminum armored cable
 - 3/8" FMC, aluminum smooth sheath metal clad cable 0.410"-0.500" diameter
 - 3/8" FMC, aluminum interlocked metal clad cable 0.460"-0.538" diameter
 - 3/8" FMC, steel interlocked metal clad cable 0.438"-0.560" diameter




	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	3/8" (1/2" KO)	15803B	25 / CCP	4 CCP's	30.84

90° DUPLEX CONNECTORS

Zinc Die Cast

- **APPLICATION:** Used to connect two pieces of flexible metallic conduit, AC, MC, or NM sheathed cable, to a steel outlet box or other metal enclosure when using only one knockout opening at a 90° bend. Indoors only.



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	3/8" (1/2" KO)	91603B	25 / CCP	4 CCP's	30.84



FLEX

FLEX

FLEX-TO-EMT COUPLINGS

Zinc Die Cast

- **APPLICATION:** Used to join EMT conduit to flexible metal conduit. Indoors only.
- **SUITABLE FOR:**
 - 1/2" steel, steel reduced wall and aluminum flexible metal conduit to EMT
 - 3/4" - 1" flexible metal conduit to EMT


Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	SET-SCREW TYPE				
	1/2" - 3/8"	15105B	25 / BOX	1 BOX	
	1/2" - 1/2"	15305B	25 / BOX	1 BOX	21.75
	3/4" - 3/4"	15307B	25 / BOX	1 BOX	27.51

COMPRESSION TO SCREW-IN TYPE

BULK	1/2"	04905B	50 / BOX	1 BOX	41.95
	3/4"	04907B	25 / BOX	1 BOX	28.95
	1"	04910B	25 / BOX	1 BOX	

CLAMP TYPE

BULK	1/2"	90605B	25 / BOX	1 BOX	
	3/4"	90607B	100 / BOX	1 BOX	
	1"	90610B	50 / BOX	1 BOX	

MC SNAP-IN CONNECTORS

Steel

- **APPLICATION:** Used to connect aluminum or steel AC, aluminum MC, and steel flexible metal conduit. Indoors only.
- **SUITABLE FOR:**
 - Aluminum and steel armored cable with #14/2 - #10/2 wire, steel flexible metal conduit, .45 diameter aluminum interlocked MC cable.


Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	3/8" (1/2" KO)	65705B	50 / BOX	1 BOX	43.25

MC SNAP-IN DUPLEX CONNECTORS

Steel

- **APPLICATION:** Used to connect aluminum or steel AC and MC cables. Indoors only.
- **SUITABLE FOR:**
 - Aluminum and steel armored cable with #14-2 - #12-4 wire; steel MC cable with #14-2 - #10-2 wire; aluminum MC cable with #14-2 - #12-4 wire.


Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	3/8" (1/2" KO)	65805B	25 / BOX	1 BOX	32.65

CUT-IN SNAP LOCK CONNECTORS

Steel

- **APPLICATION:** Use these connectors provide significant labor savings when connecting metal clad or armored cable in old work electrical box installations. Indoors only

Contact us for Canadian regulatory listings 

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	3/8" (1/2" KO)	85803NB	25 / BOX	1 BOX	8.75

MC-AC-FLEX DOUBLE SNAP CONNECTORS

Zinc Die Cast

- **APPLICATION:** Used for installing metal clad or armored cable to steel boxes or enclosures. Indoors only.
- **SUITABLE FOR:**
 - AL and steel AC 14-2 to 10-3
 - AL and steel MC / MCI - A / HCF 14-2 to 10-3
 - AL and steel 3/8" FMC / RWFC

Contact us for Canadian regulatory listings 

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	3/8" (1/2" KO)	85703NB	50 / CCP	4 CCP's	33.66

DOUBLE SNAP-IN LOCK 90° BX CONNECTOR

Zinc Die Cast

- **APPLICATION:** Use these connectors provide significant labor savings when connecting 90° bend metal clad or armored cable in old work electrical box installations. Indoors only

Contact us for Canadian regulatory listings 

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	3/8"	11103B	25 / BOX	1 BOX	
	1/2"	11105B	25 / BOX	1 BOX	

AC / MC ONE-HOLE STRAPS

Steel

- **APPLICATION:** Used to secure AC / MC cable range of .475 to .580 to a wood, masonry or similar surface. 0.196 in hole size. Indoors only.

Contact us for Canadian regulatory listings 

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	3/8"	62180B	200 / CCP	4 CCP's	50.00

BX STRAP

Zinc Die Cast

- **APPLICATION:** Used to secure AC cable to a wall or other surface.

Contact us for Canadian regulatory listings 

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/4"	12502B	100 / BOX	1 BOX	
	1/2"	12505B	100 / BOX	1 BOX	
	9/16"	12506B	100 / BOX	1 BOX	
	14/2" -10/3"	12543B	100 / BOX	1 BOX	



HALEX®
BEYOND THE CURRENT
halexco.com

90° CONNECTORS

Zinc Die Cast

- **APPLICATION:** Used to connect flexible metal conduit, aluminum and steel AC and MC cable to a steel outlet box or other metal enclosure. Indoors only.
- **SUITABLE FOR:**
 - 3/8" - 3/4" steel and aluminum armored cable, steel and aluminum interlocked metal clad cable, flexible cord, and flexible metal conduit
 - 1" - 4" flexible metal conduit



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	3/8" (1/2" KO)	11001B	35 / CCP	4 CCP's	33.30
BULK	1/2"	11005B	25 / BOX	1 BOX	33.75
	3/4"	11007B	10 / BOX	1 BOX	21.48
	1"	11010B	5 / BOX	1 BOX	17.25
	1 1/4"	11012B	10 / BOX	1 BOX	20.01
	1 1/2"	11015B	5 / BOX	1 BOX	5.39
	2"	11020B	5 / BOX	1 BOX	6.07
	2 1/2"	11025B	2 / BOX	1 BOX	6.43
	3"	11030B	1 / BOX	1 BOX	3.66
	3 1/2"	11035B	1 / BOX	1 BOX	
	4"	11040B	1 / BOX	1 BOX	7.88

WITH INSULATED THROAT

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	3/8" (1/2" KO)	91003B	25 / BOX	1 BOX	21.75
	1/2"	91005B	25 / BOX	1 BOX	37.51
	3/4"	91007B	10 / BOX	1 BOX	22.25
	1"	91010B	5 / BOX	1 BOX	
	1 1/4"	91012B	10 / BOX	1 BOX	
	1 1/2"	91015B	5 / BOX	1 BOX	
	2"	91020B	6 / BOX	1 BOX	

ANTI-SHORT BUSHINGS

Polyethylene

- **APPLICATION:** Used to protect wire within flexible metallic conduit. Indoors only.
- **SUITABLE FOR:**
 - ¹ Fits cable range: 14/2, 14/3, 12/2
 - ² Fits cable range: 14/2, 12/3, 6/1, 4/1
 - ³ Fits cable range: 12/4, 10/2, 10/3, 2/1



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	0 (5/16")	75400BP ¹	1000 / BOX	1 BOX	0.88
	1 (3/8")	75401BP ²	1000 / BOX	1 BOX	2.28
	2 (7/16")	75402BP ³	500 / BOX	1 BOX	1.28
	3 (1/2")	75403BP ³	250 / BOX	1 BOX	1.64
	4 (3/4")	75404BP ³	250 / BOX	1 BOX	1.28
	0 (5/16")	75400B ¹	35 / BOX	1 BOX	
	1 (3/8")	75401B ²	35 / BOX	1 BOX	
	2 (7/16")	75402B ³	35 / BOX	1 BOX	
	3 (1/2")	75403B ³	20 / BOX	1 BOX	
	4 (3/4")	75404B ³	16 / BOX	1 BOX	



- Push-In Cable Connectors..... 40
- Plastic Cable Connectors..... 40
- Clamp Connectors..... 40
- Clamp Connectors Service Entrance 40
- Clamp Connectors Snap-In 41
- Clamp Connectors Two-Piece 41
- Clamp Connectors Combination 41
- Saddle Connectors 41
- Duplex Connectors 42
- Water-Tight UF Connectors 42
- EMT-To-Non-Metallic Combination Couplings..... 42
- One-Hole Straps 42

NON-METALLIC SHEATHED CABLE FITTINGS

NM

NM

PUSH-IN CABLE CONNECTORS

Nylon

- APPLICATION:** Used to connect non-metallic sheathed cable to a steel outlet box or other metal enclosure. Snap-in design for quick, easy two-step installation and no locknuts required. Dry location. Only one non-metallic cable should go through.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	3/8" (1/2" KO)	75105B	100 / CCP	4 CCP's	8.08

PLASTIC CABLE CONNECTORS

PVC

- APPLICATION:** Used to connect non-metallic sheathed cable to a steel outlet box or other metal enclosure. Snap-in design. Dry location.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	1/2"	75111B	35 / CCP	4 CCP's	11.54
BULK	3/4"	75102B	25 / BOX	1 BOX	8.07

CLAMP CONNECTORS

Zinc Die Cast

- APPLICATION:** Used to connect non-metallic sheathed cable to a steel outlet box or other metal enclosure. Dry location.
¹ Fits NM cable: #14/2, 12/2, 12/3, AWG or 2 #14/2 AWG
² Fits NM cable: #12/3 - 8/3 AWG or flex cord 0.460" - 0.720" diameter
³ Fits NM cable: #14/2 - 6/3 AWG or 3 #10/3 AWG or flex cord 0.450" - 0.730" diameter
⁴ Fits NM cable: #6/3 - 2/3 AWG or flex cord 0.800" - 1.350" diameter; or SE cable 3 conductor or 3 #1/0 min; 3 conductor or 3 #2/0 max
⁵ Fits NM cable, flex cords, multi-flex cords; fitting range 0.835" - 1.520" diameter or SE cable 2 conductor 4/0
⁶ Fits NM cable, flex cords, multi-flex cords; fitting range 1.085" - 1.520" diameter



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	3/8" (1/2" KO)	05103B ¹	100 / CCP	4 CCP's	47.72
	3/4"	05107B ²	50 / CCP	4 CCP's	41.36
	1"	05110B ³	25 / CCP	4 CCP's	33.10
BULK	1 1/4"	05112B ⁴	10 / BOX	1 BOX	21.49
	1 1/2"	05115B ⁵	5 / BOX	1 BOX	22.25
	2"	05120B ⁶	10 / BOX	1 BOX	45.83

CLAMP CONNECTORS - SERVICE ENTRANCE

Zinc

- APPLICATION:** Used to connect oval service cable to steel outlet box or other metal enclosure. Dry location.
¹ Fits SE oval cable: 1.065 x 0.635 - 1.250" x 0.740"
² Fits SE oval cable: 1.405 x 0.875 - 1.450" x 0.857"



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1 1/4"	05312B ¹	10 / BOX	1 BOX	21.49
	1 1/2"	05315B ²	5 / BOX	1 BOX	11.64
	2"	05320B ²	10 / BOX	1 BOX	18.88

CLAMP CONNECTORS - SNAP-IN

Zinc

- APPLICATION:** Used to connect non-metallic sheathed cable to a steel outlet box or other metal enclosure. Snap-in design for quick, easy two-step installation and no locknuts required. Dry location. Only UL approved for one non-metallic cable.
¹ Fits NM cable: #14/2 - 12/2 or flex cord .209" - .450" diameter
² Fits NM cable: #10/3 - 8/2, SE oval 0.36 x 0.61 - 0.51 x 0.80 or SER cable 0.05" - 0.75" diameter



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	3/8" (1/2" KO)	85103NB ¹	100 / CCP	4 CCP's	44.76
BULK	3/4"	85107NB ²	50 / BOX	1 BOX	38.75

CLAMP CONNECTORS - TWO-PIECE

Zinc Electro-Plated Steel

- APPLICATION:** Used to secure #14 - #10 non-metallic sheathed cable to a steel outlet box or other metal enclosure. No locknut is required. Dry location.
¹ NM cable wire range .160 - .560
² NM cable wire range .200 - .850
³ NM cable wire range .250 - 1.000
⁴ NM cable wire range .312 - 1.200

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	3/8" (1/2" KO)	65103B ¹	100 / BOX	1 BOX	38.51
	3/4" - 1"	65110B ²	50 / BOX	1 BOX	37.51
	1 1/4"	65112B ³	25 / BOX	1 BOX	30.23
	1 1/2"	65115B ⁴	25 / BOX	1 BOX	

CLAMP CONNECTORS - COMBINATION

Zinc Die Cast

- APPLICATION:** Used to connect flexible metallic conduit, AC, MC, or NM cable to steel outlet box or other enclosure. Miscellaneous: 3/8" size fits 1/2" knockout. Dry location. Fits AC cable - steel 14/2 - 10/2, 0.463 - 0.59 and aluminum 14/2 - 10/2, 0.47 - 0.552; MCI cable - steel 14/2 - 10/3, 0.46 - 0.55 and aluminum 14/2 - 10/3 0, .465 - 0.585; MCI-A cable -aluminum 12/2 - 10/2, 0.435 - 0.518; HCF MCI-A cable - aluminum 12/2-10/2, 0.416 - 0.495; FMC steel and aluminum 3/8"



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	3/8" (1/2" KO)	05711B	50 / CCP	10 CCP's	26.18

SADDLE CONNECTORS

Zinc Die Cast

- APPLICATION:** Used to connect flexible metallic conduit, AC, MC and NM sheathed cable to a steel outlet box or other metal enclosure. Dry location.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	3/8" (1/2" KO)	06703B	50 / CCP	4 CCP's	37.06

WITH INSULATED THROAT

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	3/8" (1/2" KO)	86703B	50 / BOX	1 BOX	37.15





DUPLEX CONNECTORS

Zinc Die Cast

- **APPLICATION:** Used to connect two pieces of flexible metallic conduit, AC, MC, or NM sheathed cable, to a steel outlet box or other metal enclosure when using only one knockout opening. Dry location.
- **SUITABLE FOR:**
 - #14-2 thru #12-3 wire with ground NM sheathed cable
 - #14-2 wire steel armored cable
 - #14-2 wire with ground aluminum armored cable
 - 3/8" FMC, aluminum smooth sheath metal clad cable 0.410" - 0.500" diameter
 - 3/8" FMC, aluminum interlocked metal clad cable 0.460" - 0.538" diameter
 - 3/8" FMC, steel interlocked metal clad cable 0.438" - 0.560" diameter



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	3/8" (1/2" KO)	15803B	25 / CCP	4 CCP's	30.84

WATER-TIGHT UF CONNECTORS

Zinc Die Cast

- **APPLICATION:** Used to secure #14 - #12 UF cable to a waterproof box with threaded hub. Dry location.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	06605B	25 / BOX	1 BOX	25.83
	3/4"	06607B	25 / BOX	1 BOX	37.83

EMT-TO-NON-METALLIC COUPLINGS

Zinc Die Cast

- **APPLICATION:** Used to join EMT conduit to non-metallic sheathed cable. Dry location.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	1/2"	15301B	25 / CCP	4 CCP's	17.58
BULK	1/2"	15303B	50 / BOX	1 BOX	32.25

ONE-HOLE STRAPS

Steel

- **APPLICATION:** Used to secure non-metallic sheathed cable or service entrance cable (SEU, SE) to a wood, masonry or similar surface. Dry location.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	#12/2 - #14/2	62171B	100 / BOX	1 BOX	13.83



LIQUID-TIGHT CONDUIT FITTINGS

- Straight Liquid-Tight Connectors One-Piece 44
- Straight Liquid-Tight Connectors Multi-Piece 44
- 90 Degree Liquid-Tight Connectors One-Piece 45
- 90 Degree Liquid-Tight Connectors Multi-Piece 45
- Straight Liquid-Tight Connectors..... 46
- 45 Degree Liquid-Tight Connectors..... 46
- 90 Degree Liquid-Tight Connectors..... 47
- Straight Quick-Set Liquid Tight Connectors..... 47
- 90 Degree Quick-Set Liquid Tight 48
- LQD/EMT Couplings.....48
- LQD/RGD Couplings.....48
- Screw-In Couplings.....48

STRAIGHT LIQUID TIGHT CONNECTORS - ONE-PIECE

Zinc Die Cast

- **APPLICATION:** Used to connect flexible metallic or type B non-metallic liquid tight conduit to a steel outlet box or other metal enclosure or hub. Indoors or outdoors.
- **FEATURES:** Straight connection. One-piece design allows for quick and easy installation.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	06305B	25 / BOX	1 BOX	15.14
	3/4"	06307B	10 / BOX	1 BOX	22.83

WITH INSULATED THROAT

BULK	3/4"	86307B	10 / BOX	1 BOX	22.83
------	------	--------	----------	-------	-------

STRAIGHT LIQUID TIGHT CONNECTORS - MULTI-PIECE

Zinc Die Cast

- **APPLICATION:** Used to connect flexible metallic or type B non-metallic liquid tight conduit to a steel outlet box or other metal enclosure or hub. Indoors or outdoors.
- **FEATURES:** Multi-piece straight connection.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	3/8"	16203B	25 / BOX	1 BOX	16.14
	1/2"	16205B	25 / BOX	1 BOX	14.20
	3/4"	16207B	10 / BOX	1 BOX	19.25
	1"	16210B	10 / BOX	1 BOX	28.95
	1 1/4"	16212B	4 / BOX	1 BOX	25.05
	1 1/2"	16215B	2 / BOX	1 BOX	15.83
	2"	16220B	2 / BOX	1 BOX	18.39

WITH INSULATED THROAT

BULK	3/8"	96203B	25 / BOX	1 BOX	
	1/2"	96205B	25 / BOX	1 BOX	
	3/4"	96207B	10 / BOX	1 BOX	22.83
	1"	96210B	10 / BOX	1 BOX	
	1 1/4"	96212B	4 / BOX	1 BOX	25.05
	1 1/2"	96215B	2 / BOX	1 BOX	16.51
	2"	96220B	2 / BOX	1 BOX	
	2 1/2"	96225B	1 / BOX	1 BOX	2.21
	3"	96230B	1 / BOX	1 BOX	3.22

90° LIQUID TIGHT CONNECTORS - ONE-PIECE

Zinc Die Cast

- **APPLICATION:** Used to connect flexible metallic or type B non-metallic conduit to a steel outlet box or other metal enclosure. Indoors or outdoors.
- **FEATURES:** 90 degree connection. One-piece design allows for quick and easy installation.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	06805B	25 / BOX	1 BOX	19.45

90° LIQUID TIGHT CONNECTORS - MULTI-PIECE

Zinc Die Cast

- **APPLICATION:** Used to connect flexible metallic or type B non-metallic liquid tight conduit to a steel outlet box or other metal enclosure or hub. Indoors or outdoors.
- **FEATURES:** Multi-piece 90 degree connection.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	3/8"	16903B	25 / BOX	1 BOX	21.14
	1/2"	16905B	25 / BOX	1 BOX	22.38
	3/4"	16907B	10 / BOX	1 BOX	28.35
	1"	16910B	5 / BOX	1 BOX	35.25
	1 1/4"	16914B	4 / BOX	1 BOX	44.51
	1 1/2"	16915B	2 / BOX	1 BOX	28.51
	2"	16920B	2 / BOX	1 BOX	41.71

WITH INSULATED THROAT

BULK	2"	96920B	2 / BOX	1 BOX	41.71
	2 1/2"	96925B	1 / BOX	1 BOX	3.80



HALEX®
BEYOND THE CURRENT
halexco.com

1.800.749.3261
halexco.com

STRAIGHT LIQUID TIGHT CONNECTORS

Malleable Iron/Steel/Zinc

- **APPLICATION:** Used to connect flexible metallic liquid tight conduit to a steel outlet box or other metal enclosure or hub. Indoors or outdoors.
 - **FEATURES:** Straight connection
- 
Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	3/8"	66203B	25 / BOX	1 BOX	15.56
	1/2"	66205B	25 / BOX	1 BOX	16.34
	3/4"	66206B	10 / BOX	1 BOX	31.83
	1"	66210B	5 / BOX	1 BOX	11.68
	1 1/4"	66212B	5 / BOX	1 BOX	12.34
	1 1/2"	66215B	2 / BOX	1 BOX	16.23
	2"	66220B	2 / BOX	1 BOX	28.85
	2 1/2"	66225B	1 / BOX	1 BOX	
	3"	66230B	1 / BOX	1 BOX	
	3 1/2"	66235B	1 / BOX	1 BOX	
	4"	66240B	1 / BOX	1 BOX	

WITH INSULATED THROAT

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	3/8"	86203B	25 / BOX	1 BOX	
	1/2"	86205B	25 / BOX	1 BOX	16.34
	3/4"	86207B	10 / BOX	1 BOX	24.14
	1"	86210B	5 / BOX	1 BOX	8.79
	1 1/4"	86212B	5 / BOX	1 BOX	12.34
	1 1/2"	86215B	2 / BOX	1 BOX	16.23
	2"	86220B	2 / BOX	1 BOX	28.85
	2 1/2"	86225B	1 / BOX	1 BOX	2.62
	3"	86230B	1 / BOX	1 BOX	3.91
	4"	86240B	1 / BOX	1 BOX	6.56

45° LIQUID TIGHT CONNECTORS

Malleable Iron/ Steel

- **APPLICATION:** Used to connect flexible metallic liquid tight conduit to a steel outlet box or other metal enclosure or hub. Indoors or outdoors.
 - **FEATURES:** 45 degree connection.
- 
Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	3/8"	66503B	10 / BOX	1 BOX	29.95
	1/2"	66505B	10 / BOX	1 BOX	27.96
	3/4"	66507B	10 / BOX	1 BOX	14.64
	1"	66510B	5 / BOX	1 BOX	13.94
	1 1/4"	66512B	5 / BOX	1 BOX	19.79
	1 1/2"	66515B	2 / BOX	1 BOX	24.25
	2"	66520B	2 / BOX	1 BOX	37.89

WITH INSULATED THROAT

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	2 1/2"	86525B	1 / BOX	1 BOX	4.94

90° LIQUID TIGHT CONNECTORS

Malleable Iron/Steel/Zinc

- **APPLICATION:** Used to connect flexible metallic liquid tight conduit to a steel outlet box or other metal enclosure or hub. Indoors or outdoors.
 - **FEATURES:** 90 degree connection.
- 
Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	3/8"	66903B	10 / BOX	1 BOX	
	1/2"	66905B	10 / BOX	1 BOX	30.75
	3/4"	66907B	10 / BOX	1 BOX	19.14
	1"	66910B	5 / BOX	1 BOX	16.34
	1 1/4"	66912B	5 / BOX	1 BOX	24.83
	1 1/2"	66915B	2 / BOX	1 BOX	31.89
	2"	66920B	2 / BOX	1 BOX	42.51
	2 1/2"	66925B	1 / BOX	1 BOX	
	3"	66930B	1 / BOX	1 BOX	
	3 1/2"	66935B	1 / BOX	1 BOX	
	4"	66940B	1 / BOX	1 BOX	

WITH INSULATED THROAT

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	3/8"	86903B	10 / BOX	1 BOX	
	1/2"	86905B	10 / BOX	1 BOX	31.25
	3/4"	86907B	10 / BOX	1 BOX	19.14
	1"	86910B	5 / BOX	1 BOX	16.34
	1 1/4"	86912B	5 / BOX	1 BOX	24.83
	1 1/2"	86915B	2 / BOX	1 BOX	27.25
	2"	86920B	2 / BOX	1 BOX	
	2 1/2"	86925B	1 / BOX	1 BOX	6.12
	3"	86930B	1 / BOX	1 BOX	8.73

STRAIGHT QUICK-SET LIQUID TIGHT CONNECTORS

Nylon

- **APPLICATION:** Used to connect type B non-metallic liquid tight conduit to a weatherproof outlet box, pool/spa equipment motor, central air conditioning unit or various other electrical enclosures or hubs. Indoors or outdoors.
 - **FEATURES:** Straight connection.
- 
Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	3/8"	76203B	25 / BOX	1 BOX	
	1/2"	76205B	25 / BOX	1 BOX	7.52
	3/4"	76207B	10 / BOX	1 BOX	11.59
	1"	76210B	5 / BOX	1 BOX	8.25
	1 1/4"	76212B	5 / BOX	1 BOX	1.24
	1 1/2"	76215B	2 / BOX	1 BOX	0.64
	2"	76220B	2 / BOX	1 BOX	1.01



90° QUICK-SET LIQUID TIGHT CONNECTORS

Nylon

- **APPLICATION:** Used to connect type B non-metallic liquid tight conduit to a weatherproof outlet box, pool/spa equipment motor, central air conditioning unit or various other electrical enclosures or hubs. Indoors or outdoors.
- **FEATURES:** 90 degree connection



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	76905B	10 / BOX	1 BOX	9.45
	3/4"	76907B	10 / BOX	1 BOX	12.51
	1"	76910B	5 / BOX	1 BOX	10.60
	1 1/4"	76912B	5 / BOX	1 BOX	9.47
	1 1/2"	76915B	2 / BOX	1 BOX	5.13
	2"	76920B	2 / BOX	1 BOX	8.18



LQD/EMT COUPLINGS

Steel

- **APPLICATION:** Used to connect EMT conduit to a liquid tight conduit or AC whip. Indoors only.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2	60105B	25 / BOX	1 BOX	
	3/4"	60107B	20 / BOX	1 BOX	
	1"	60110B	10 / BOX	1 BOX	



LQD/RGD COUPLINGS

Steel

- **APPLICATION:** Used to connect EMT conduit to a liquid tight conduit or AC whip. Outdoor use.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	3/8"	93503B	20 / BOX	1 BOX	
	1/2"	93505B	20 / BOX	1 BOX	
	3/4"	93507B	10 / BOX	1 BOX	
	1"	93510B	5 / BOX	1 BOX	
	1 1/4"	93512B	5 / BOX	1 BOX	
	1 1/2"	93515B	12 / BOX	1 BOX	
	2"	93520B	5 / BOX	1 BOX	



SCREW-IN COUPLINGS

PVC

- **APPLICATION:** Used to connect two lengths of type B non-metallic liquid tight conduit. Indoors or outdoors.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	74505B	30 / BOX	1 BOX	1.81
	3/4"	74507B	25 / BOX	1 BOX	1.92



RIGID CONDUIT FITTINGS

- Set-Screw Connectors.....50
- Set Screw Couplings.....50
- Compression Connectors.51
- Compression Couplings...52
- EMT to RGD Combination Couplings..... 52
- Couplings.....52-53
- 90 Degree Short Radius Elbow 53
- Elbows54-56
- Nipples 56-59
- Water-Tight Conduit Hubs 60
- Spacers and Bushings 60-61
- Reducing Washers..... 62
- Locknuts 62-64
- Insulated Metallic Ground Bushing..... 64
- Clamp Backs.....64
- Reducing Bushing..... 64
- Straps..... 65-67
- EMT/RGD Conduit Bodies 67-69
- Mogul Pulling Elbows.....70
- Threaded Conduit Bodies 71-74
- Conduit Body Cover and Gasket..... 74



SET-SCREW CONNECTORS

Zinc Die Cast

- **APPLICATION:** Used to connect EMT, Rigid or IMC conduit to steel outlet box, load center, or other metal enclosure. Indoors only.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	62905B	50 / BOX	1 BOX	
	3/4"	62907B	25 / BOX	1 BOX	

WITH INSULATED THROAT

BULK	3 1/2"	92135B	10 / BOX	1 BOX	12.35
------	--------	--------	----------	-------	-------



SET-SCREW CONNECTORS

Steel

- **APPLICATION:** Used to connect EMT, Rigid or IMC conduit to steel outlet box, load center, or other metal enclosure. Indoors only.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	2 1/2"	62725B	12 / BOX	1 BOX	15.22
	3 1/2"	62735B	6 / BOX	1 BOX	10.64
	4"	62740B	6 / BOX	1 BOX	15.19

WITH INSULATED THROAT

BULK	4"	82740B	6 / BOX	1 BOX	15.16
------	----	--------	---------	-------	-------



SET-SCREW COUPLINGS

Steel

- **APPLICATION:** Used to join two lengths of EMT, Rigid or IMC conduit together. Indoors only.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	2 1/2"	62825	1 / BAG	3 BAGS	5.33
	3"	62830	1 / BAG	3 BAGS	5.45

COMPRESSION CONNECTORS

Zinc Die Cast

- **APPLICATION:** Used to connect EMT, threadless Rigid or IMC conduit to a steel outlet box, load center, or other metal enclosure. Indoors only.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	2 1/2"	02125B	12 / BOX	1 BOX	13.84
	3"	02130B	12 / BOX	1 BOX	16.86
	3 1/2"	02135B	10 / BOX	1 BOX	17.63
	4"	02140B	6 / BOX	1 BOX	12.49



COMPRESSION CONNECTORS

Steel

- **APPLICATION:** Used to join threadless Rigid or IMC conduit to a steel outlet box OR other metal enclosure. Indoors only.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	63505B	25 / BOX	1 BOX	37.14
	3/4"	63507B	25 / BOX	1 BOX	37.14
	1"	63510B	5 / BOX	1 BOX	1.60
	1 1/4"	63512B	5 / BOX	1 BOX	2.48
	1 1/2"	63515B	2 / BOX	1 BOX	1.51
	2"	63520B	2 / BOX	1 BOX	2.11
	2 1/2"	62325B	12 / BOX	1 BOX	21.96

WITH INSULATED THROAT

BULK	1/2"	82405B	20 / BOX	1 BOX	
	3/4"	82407B	10 / BOX	1 BOX	
	1"	82410B	5 / BOX	1 BOX	
	1 1/4"	82412B	5 / BOX	1 BOX	
	1 1/2"	82415B	12 / BOX	1 BOX	
	2"	82420B	12 / BOX	1 BOX	



COMPRESSION COUPLINGS

Zinc Die Cast

- **APPLICATION:** Used to join two lengths of EMT, threadless Rigid or IMC conduit together. Indoors only.

Contact us for Canadian regulatory listings 

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	2 1/2"	02225B	12 / BOX	1 BOX	15.95
	3"	02230B	12 / BOX	1 BOX	21.11
	4"	02240B	6 / BOX	1 BOX	15.12



COMPRESSION COUPLINGS

Steel

- **APPLICATION:** Used to join two lengths of threadless Rigid or IMC conduit together. Indoors only.

Contact us for Canadian regulatory listings 

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	63605B	10 / BOX	1 BOX	1.41
	3/4"	63607B	10 / BOX	1 BOX	2.14
	1"	63610B	5 / BOX	1 BOX	2.26
	1 1/4"	63612B	5 / BOX	1 BOX	3.99
	1 1/2"	63615B	2 / BOX	1 BOX	1.85
	2"	63620B	2 / BOX	1 BOX	2.24
	2 1/2"	62425B	12 / BOX	1 BOX	31.22
	3"	62430B	6 / BOX	1 BOX	16.59
	4"	62440B	6 / BOX	1 BOX	28.91



EMT-TO-RIGID COMBINATION COUPLINGS

Steel

- **APPLICATION:** Used to join EMT conduit to Rigid metal conduit. Indoors only.

Contact us for Canadian regulatory listings 

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2" - 1/2"	15304B	25 / BOX	1 BOX	3.96
	3/4" - 3/4"	15306B	25 / BOX	1 BOX	5.06
	1"	17310B	10 / BOX	1 BOX	



RIGID THREE-PIECE COUPLINGS

Malleable Iron

- **APPLICATION:** Used as a threaded coupling between lengths of threaded Rigid or IMC conduit, when neither can be rotated. Indoors or outdoors.

Contact us for Canadian regulatory listings 

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	65505B	25 / BOX	1 BOX	
	3/4"	65507B	25 / BOX	1 BOX	6.64
	1"	65510B	10 / BOX	1 BOX	
	1 1/4"	65512B	10 / BOX	1 BOX	
	1 1/2"	65515B	10 / BOX	1 BOX	
	2"	65520B	10 / BOX	1 BOX	
	2 1/2"	65525B	10 / BOX	1 BOX	
	3"	65530B	1 / BOX	1 BOX	
	3 1/2"	65535B	1 / BOX	1 BOX	
	4"	65540B	1 / BOX	1 BOX	




ALUMINUM COUPLINGS

Aluminum

- **APPLICATION:** Used to join threaded Rigid or IMC conduit together. Indoors or outdoors.

Contact us for Canadian regulatory listings 

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1 1/4"	54012	1 / BAG	5 BAGS	1.08
	2"	54020	1 / BAG	3 BAGS	1.09



90° SHORT RADIUS ELBOWS

Zinc Die Cast

- **APPLICATION:** Used to connect Rigid or IMC conduit to an outlet box where a close radius is desired. Indoors or outdoors.

Contact us for Canadian regulatory listings 

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	19005	1 / BAG	20 BAGS	2.26
	3/4"	19007	1 / BAG	10 BAGS	1.90



RIGID COUPLINGS

Steel

- **APPLICATION:** Used to join threaded Rigid or IMC conduit together. Indoors or outdoors.

Contact us for Canadian regulatory listings 

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	64001B	100 / BOX	1 BOX	12.37
	1/2"	64005B	100 / BOX	1 BOX	12.28
	3/4"	64007B	50 / BOX	1 BOX	9.23
	1"	64010B	30 / BOX	1 BOX	
	1 1/4"	64012B	25 / BOX	1 BOX	
	1 1/2"	64015B	25 / BOX	1 BOX	
	2"	64020B	20 / BOX	1 BOX	
	2 1/2"	64025B	12 / BOX	1 BOX	
	3"	64030B	8 / BOX	1 BOX	
	3 1/2"	64035B	4 / BOX	1 BOX	
	4"	64040B	4 / BOX	1 BOX	



RIGID TO RIGID PULL ELBOWS

Zinc Die Cast

- **APPLICATION:** Used as a wire pulling elbow to facilitate wire pulling through a sharp bend in a run of threaded Rigid or IMC conduit. Indoors or outdoors.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	94105B	10 / BOX	1 BOX	19.66
	3/4"	94107B	5 / BOX	1 BOX	16.27

EMT/RIGID-TO-EMT/RIGID COMBO ELBOWS

Zinc Die Cast

- **APPLICATION:** Used as a wire pulling elbow to facilitate wire pulling through a sharp bend in a run of threaded Rigid or IMC conduit. RGD indoors or outdoors. EMT indoors only.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	94505	1 / BAG	10 BAGS	1.85
	3/4"	94507	1 / BAG	10 BAGS	3.01
	1"	94510	1 / BAG	5 BAGS	3.03

PULL ELBOW COUPLINGS

Zinc Die Cast

- **APPLICATION:** Used to join threadless Rigid or IMC conduit to a steel outlet box OR other metal enclosure. Indoors only.



Contact us for Canadian regulatory listings

WITH GASKET AND COVER

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1"	94110B	25 / BOX	1 BOX	
	1 1/4"	94212B	20 / BOX	1 BOX	

RIGID-TO-BOX PULL ELBOWS

Zinc Die Cast

- **APPLICATION:** Used to connect a run of threaded Rigid or IMC conduit to an outlet box or other metal enclosure. Indoors or outdoors.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
WITHOUT GASKET					
UPC	1/2"	14205	1 / BAG	10 BAGS	2.09
	3/4"	14207	1 / BAG	5 BAGS	1.36
WITH GASKET AND COVER					
BULK	1/2"	94205B	10 / BOX	1 BOX	21.05
	3/4"	94207B	5 / BOX	1 BOX	12.13
	1"	94210B	25 / BOX	1 BOX	
	1 1/4"	94312B	20 / BOX	1 BOX	

90° LARGE RADIUS ELBOWS

Zinc Die Cast

- **APPLICATION:** Used to connect Rigid or IMC conduit to an outlet box where a large radius is desired, for example to accommodate larger gauge wire. Indoors or outdoors.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	19205B	25 / BOX	1 BOX	3.06
	3/4"	19207B	10 / BOX	1 BOX	1.08

45° RIGID ELBOWS

Steel

- **APPLICATION:** Used to allow a 45° change of direction in a run of Rigid or IMC conduit. Indoors or outdoors.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	64205B	50 / BOX	1 BOX	
	3/4"	64207B	50 / BOX	1 BOX	
	1"	64210B	35 / BOX	1 BOX	
	1 1/4"	64212B	30 / BOX	1 BOX	
	1 1/2"	64215B	15 / BOX	1 BOX	
	2"	64220B	15 / BOX	1 BOX	
	2 1/2"	64225B	1 / BOX	1 BOX	
	3 1/2"	64235B	1 / BOX	1 BOX	
	4"	64240B	1 / BOX	1 BOX	

90° RIGID ELBOWS

Steel

- **APPLICATION:** Used to allow a 90° change of direction in a run of Rigid or IMC conduit. Indoors or outdoors.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	64105B	50 / BOX	1 BOX	36.35
	3/4"	64107B	50 / BOX	1 BOX	55.85
	1"	64110B	20 / BOX	1 BOX	40.30
	1 1/4"	64112B	20 / BOX	1 BOX	62.00
	1 1/2"	64115B	10 / BOX	1 BOX	44.60
	2"	64120B	10 / BOX	1 BOX	67.50
	2 1/2"	64125B	1 / BOX	1 BOX	
	3"	64130B	1 / BOX	1 BOX	
	3 1/2"	64135B	1 / BOX	1 BOX	
	4"	64140B	1 / BOX	1 BOX	



90° ELBOWS

- **APPLICATION:** Used to allow a 90° change of direction in a run of Rigid or IMC conduit. Indoors or outdoors.

Aluminum



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1 1/4"	54112	1 / BAG	5 BAGS	6.39
	2"	54120	1 / BAG	2 BAGS	5.21

OFFSET NIPPLES

- **APPLICATION:** Used as an offset connector between two enclosures. Offsets the axis of the raceway by 3/4". Indoors or outdoors

Zinc Die Cast



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	04005B	10 / BOX	1 BOX	11.73
	3/4"	04007B	10 / BOX	1 BOX	17.12
	1"	04010B	10 / BOX	1 BOX	21.49
	1 1/4"	04012B	5 / BOX	1 BOX	16.71
	1 1/2"	04015B	5 / BOX	1 BOX	22.66
	2"	04020B	2 / BOX	1 BOX	12.57
	2 1/2"	04025B	2 / BOX	1 BOX	2.87
	3"	04030B	1 / BOX	1 BOX	2.16

CHASE NIPPLES

- **APPLICATION:** Used with a Rigid coupling to terminate threaded conduit to a knockout box or enclosure, where space within the box is limited. Used with a locknut to provide a short raceway between boxes or enclosures. Indoors or outdoors.

Zinc Die Cast



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	07005B	100 / BOX	1 BOX	35.69
	3/4"	07007B	50 / BOX	1 BOX	30.90
	1"	07010B	25 / BOX	1 BOX	24.98
	1 1/4"	07012B	25 / BOX	1 BOX	30.25
	1 1/2"	07015B	25 / BOX	1 BOX	4.54
	2"	07020B	10 / BOX	1 BOX	11.88
	2 1/2"	07025B	10 / BOX	1 BOX	17.20
	3"	07030B	10 / BOX	1 BOX	20.60
	3 1/2"	07035B	10 / BOX	1 BOX	
	4"	07040B	5 / BOX	1 BOX	16.68

CONDUIT NIPPLES

- **APPLICATION:** Used to connect two steel outlet boxes or other metal enclosures; use to extend a length of threaded Rigid or IMC conduit. Indoors or outdoors.

Steel



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	3/4" X CLOSE	64307B	25 / BOX	1 BOX	
	3/4" x 1 1/2"	64317B	25 / BOX	1 BOX	
	3/4" X 2"	64327B	25 / BOX	1 BOX	
	3/4" x 2 1/2"	65425B	25 / BOX	1 BOX	
	3/4" X 3"	64332B	25 / BOX	1 BOX	
	3/4" x 3 1/2"	65435B	25 / BOX	1 BOX	
	3/4" X 4"	64342B	25 / BOX	1 BOX	
	3/4" X 5"	64352B	25 / BOX	1 BOX	10.97
	3/4" X 6"	64362B	25 / BOX	1 BOX	
	3/4" X 8"	64382B	1 / BOX	1 BOX	0.72
	3/4" X 10"	64392B	1 / BOX	1 BOX	0.90
	3/4" X 12"	64302B	1 / BOX	1 BOX	1.08
	1/2" X CLOSE	64305B	25 / BOX	1 BOX	
	1/2" X 1 1/2"	64311B	25 / BOX	1 BOX	
	1/2" X 2"	64325B	25 / BOX	1 BOX	
	1/2" X 2 1/2"	65325B	25 / BOX	1 BOX	
	1/2" X 3"	64331B	25 / BOX	1 BOX	
	1/2" X 3 1/2"	65335B	25 / BOX	1 BOX	
	1/2" X 4"	64341B	25 / BOX	1 BOX	
	1/2" X 6"	64361B	25 / BOX	1 BOX	
	1/2" x 8"	64381B	1 / BOX	1 BOX	0.52
	1/2" x 10"	64391B	1 / BOX	1 BOX	0.70
	1/2" x 12"	64301B	1 / BOX	1 BOX	0.80

CONTINUATION OF CHART PROVIDED ON NEXT PAGE



HALEX®
BEYOND THE CURRENT
halexco.com

1.800.749.3261
halexco.com

CONTINUATION OF CHART FROM PREVIOUS PAGE.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1" X CLOSE	64310B	25 / BOX	1 BOX	
	1" X CLOSE	65310B	25 / BOX	1 BOX	
	1" X 2"	65313B	25 / BOX	1 BOX	
	1" X 2 1/2"	64323B	25 / BOX	1 BOX	
	1" X 3"	64333B	25 / BOX	1 BOX	
	1" x 3 1/2"	66335B	25 / BOX	1 BOX	
	1" X 4"	64343B	25 / BOX	1 BOX	12.64
	1" X 5"	64353B	25 / BOX	1 BOX	
	1" X 6"	64363B	25 / BOX	1 BOX	
	1" x 8"	64383B	25 / BOX	1 BOX	1.10
	1" x 10"	64393B	1 / BOX	1 BOX	1.30
	1" x 12"	64303B	1 / BOX	1 BOX	3.80
	1 1/4 X CLOSE	64312B	25 / BOX	1 BOX	
	1 1/4 X 2"	64314B	25 / BOX	1 BOX	
	1 1/4" x 2 1/2"	66325B	25 / BOX	1 BOX	
	1 1/4" X 3"	64334B	25 / BOX	1 BOX	
	1 1/4" x 3 1/2"	65635B	25 / BOX	1 BOX	
	1 1/4" x 4"	64344B	1 / BOX	1 BOX	
	1 1/4" X 5"	64354B	25 / BOX	1 BOX	
	1 1/4" X 6"	64364B	25 / BOX	1 BOX	
	1 -1/4" x 8"	64384B	1 / BOX	1 BOX	1.25
	1 1/4" x 10"	64394B	1 / BOX	1 BOX	1.80
	1 1/4" x 12"	64308B	1 / BOX	1 BOX	
	1 1/2" X CLOSE	64315B	5 / BOX	1 BOX	
	1 1/2" X 2"	64313B	25 / BOX	1 BOX	
	1 1/2" x 2 1/2"	66425B	25 / BOX	1 BOX	
	1 1/2" X 3"	64335B	25 / BOX	1 BOX	
	1 1/2" x 3 1/2"	64635B	25 / BOX	1 BOX	
	1 1/2" x 4"	64345B	25 / BOX	1 BOX	20.53
	1 1/2" x 5"	64355B	25 / BOX	1 BOX	26.37
	1 1/2" X 6"	64365B	25 / BOX	1 BOX	
	1 1/2" x 8"	64385B	1 / BOX	1 BOX	1.50
	1 1/2" x 10"	64395B	1 / BOX	1 BOX	2.00
	1 1/2" x 12"	64605B	1 / BOX	1 BOX	
	2" X CLOSE	64320B	25 / BOX	1 BOX	
	2" x 2 1/2"	64625B	25 / BOX	1 BOX	
	2" X 3"	64336B	25 / BOX	1 BOX	
	2" x 3 1/2"	64735B	25 / BOX	1 BOX	
	2" x 4"	64346B	25 / BOX	1 BOX	24.66
	2" X 5"	64356B	25 / BOX	1 BOX	
	2" X 6"	64366B	25 / BOX	1 BOX	
	2" X 8"	64386B	1 / BOX	1 BOX	
	2" x 10"	64396B	1 / BOX	1 BOX	2.70
	2" x 12"	64306B	1 / BOX	1 BOX	3.06

CONTINUATION OF CHART FROM PREVIOUS PAGE.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	2 1/2" x CLOSE	64617B	1 / BOX	1 BOX	1.00
	2 1/2" x 3"	64630B	1 / BOX	1 BOX	
	2 1/2" x 3 1/2"	64835B	1 / BOX	1 BOX	
	2 1/2" 4"	64347B	1 / BOX	1 BOX	1.50
	2 1/2" x 5"	64357B	1 / BOX	1 BOX	1.97
	2 1/2" x 6"	64367B	1 / BOX	1 BOX	2.40
	2 1/2" x 8"	64387B	1 / BOX	1 BOX	3.29
	2 1/2" x 10"	64397B	1 / BOX	1 BOX	
	2 1/2" x 12"	64607B	1 / BOX	1 BOX	5.05
	3" x CLOSE	64618B	1 / BOX	1 BOX	11.64
	3" x 3"	64338B	1 / BOX	1 BOX	
	3" x 3 1/2"	64935B	1 / BOX	1 BOX	
	3" x 4"	64348B	1 / BOX	1 BOX	2.00
	3" x 5"	64358B	1 / BOX	1 BOX	2.60
	3" x 6"	64368B	1 / BOX	1 BOX	3.00
	3" x 8"	64388B	1 / BOX	1 BOX	4.11
	3" x 10"	64398B	1 / BOX	1 BOX	5.28
	3" x 12"	64608B	1 / BOX	1 BOX	6.30
	3 1/2" x CLOSE	64619B	1 / BOX	1 BOX	19.20
	3 1/2" x 4"	64349B	1 / BOX	1 BOX	
	3 1/2" x 5"	64359B	1 / BOX	1 BOX	
	3 1/2" x 6"	64369B	1 / BOX	1 BOX	3.73
	3 1/2" x 8"	64389B	1 / BOX	1 BOX	
	3 1/2" x 10"	64399B	1 / BOX	1 BOX	6.55
	3 1/2" x 12"	64309B	1 / BOX	1 BOX	
	4" x CLOSE	64620B	1 / BOX	1 BOX	21.60
	4" x 4"	64340B	1 / BOX	1 BOX	2.85
	4" x 5"	64350B	1 / BOX	1 BOX	3.80
	4" x 6"	64360B	1 / BOX	1 BOX	4.40
	4" x 8"	64380B	1 / BOX	1 BOX	6.00
	4" x 10"	64390B	1 / BOX	1 BOX	7.75
	4" x 12"	64300B	1 / BOX	1 BOX	9.25

WATER-TIGHT CONDUIT HUBS

Zinc Die Cast

- **APPLICATION:** Used to connect Rigid or IMC conduit to a load center or other metal enclosure where a water-tight joint is required at knockouts or slip-fit holes. Indoors or outdoors.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	91631B	25 / BOX	1 BOX	
	3/4"	91632B	10 / BOX	1 BOX	
	1"	16310B	10 / BOX	1 BOX	
	1 1/4"	16312B	10 / BOX	1 BOX	
	1 1/2"	16315B	10 / BOX	1 BOX	
	2"	16320B	10 / BOX	1 BOX	
	2 1/2"	16325B	2 / BOX	1 BOX	3.35
	3"	16330B	1 / BOX	1 BOX	
	3 1/2"	16335B	1 / BOX	1 BOX	2.82
	4"	16340B	1 / BOX	1 BOX	3.26



CONDUIT BUSHINGS

Zinc Die Cast

- **APPLICATION:** Used with locknut to terminate threaded Rigid or IMC conduit to an outlet box. Indoors or outdoors.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	05205B	100 / BOX	1 BOX	32.25
	3/4"	05207B	25 / BOX	1 BOX	37.85
	1"	05210B	50 / BOX	1 BOX	25.91
	1 1/4"	05212B	25 / BOX	1 BOX	
	1 1/2"	05215B	25 / BOX	1 BOX	
	2"	05220B	25 / BOX	1 BOX	
	2 1/2"	05225B	10 / BOX	1 BOX	
	3"	05230B	10 / BOX	1 BOX	
	3 1/2"	05235B	5 / BOX	1 BOX	
	4"	05240B	5 / BOX	1 BOX	



WATER-TIGHT CONDUIT HUBS WITH BONDING SCREW

Zinc Die Cast

- **APPLICATION:** Used to connect Rigid or IMC conduit to a load center or other metal enclosure where a water-tight joint is required at knockouts or slip-fit holes. Indoors or outdoors



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	06405B	25 / BOX	1 BOX	
	3/4"	06407B	10 / BOX	1 BOX	
	1"	06410B	1 / BOX	1 BOX	
	1 1/4"	06412B	2 / BOX	1 BOX	
	1 1/2"	06415B	2 / BOX	1 BOX	
	2"	06420B	2 / BOX	1 BOX	
	2 1/2"	06425B	1 / BOX	1 BOX	
	3"	06430B	1 / BOX	1 BOX	
	3 1/2"	06435B	5 / BOX	1 BOX	
	4"	06440B	1 / BOX	1 BOX	



PLASTIC BUSHINGS

Thermoplastic

- **APPLICATION:** Used with locknut to terminate threaded Rigid or IMC conduit to an outlet box. Indoors or outdoors.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	75205B	100 / BOX	1 BOX	7.03
	3/4"	75207B	100 / BOX	1 BOX	12.25
	1"	75210B	50 / BOX	1 BOX	10.55
	1 1/4"	75212B	25 / BOX	1 BOX	7.70
	1 1/2"	75215B	25 / BOX	1 BOX	8.20
	2"	75220B	25 / BOX	1 BOX	10.41
	2 1/2"	75225B	10 / BOX	1 BOX	13.51
	3"	75230B	10 / BOX	1 BOX	16.30
	3 1/2"	75235B	5 / BOX	1 BOX	13.25
	4"	75240B	5 / BOX	1 BOX	14.01



BOX SPACERS

Zinc Die Cast

- **APPLICATION:** Used as a raceway between two steel outlet boxes or other metal enclosures. Indoors only.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	16405B	50 / BOX	1 BOX	45.00
	3/4"	16407B	50 / BOX	1 BOX	61.16



HALEX®
BEYOND THE CURRENT
halexco.com

REDUCING WASHERS

Steel

- **APPLICATION:** Used to reduce the size of the knockout in a steel outlet box or other metal enclosure. Must use one inside the enclosure opening and one on the outside. Indoors or outdoors.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2" - 3/4"	68205B	250 / BOX	1 BOX	
	1" x 1/2"	68305B	250 / BOX	1 BOX	52.25
	1" x 3/4"	68307B	250 / BOX	1 BOX	37.53
	1 1/4" x 1/2"	68405B	100 / BOX	1 BOX	3.14
	1 1/4" x 3/4"	68407B	100 / BOX	1 BOX	3.14
	1 1/4" x 1"	68410B	100 / BOX	1 BOX	2.14
	1 1/2" x 1/2"	68505B	100 / BOX	1 BOX	4.14
	1 1/2" x 3/4"	68507B	100 / BOX	1 BOX	4.14
	1 1/2"-1"	68510B	50 / BOX	1 BOX	
	1 1/2" x 1 1/4"	68512B	100 / BOX	1 BOX	3.14
	2" x 1/2"	68605B	50 / BOX	1 BOX	4.14
	2" x 3/4"	68607B	50 / BOX	1 BOX	4.14
	2" x 1"	68610B	50 / BOX	1 BOX	3.64
	2" x 1 1/4"	68612B	50 / BOX	1 BOX	3.14
	2"-1 1/2"	68615B	25 / BOX	1 BOX	
	2 1/2" - 1/2"	68525B	25 / BOX	1 BOX	
	2 1/2" - 3/4"	68527B	25 / BOX	1 BOX	
	2 1/2" - 1"	68521B	25 / BOX	1 BOX	
	2 1/2" - 1/4"	68522B	25 / BOX	1 BOX	
	2 1/2" - 1 1/2"	68529B	25 / BOX	1 BOX	
	2 1/2"-2"	68720B	25 / BOX	1 BOX	



CONDUIT LOCKNUTS

Steel

- **APPLICATION:** Used to secure Rigid, IMC conduit or various threaded fittings to a steel outlet box or other metal enclosure. Indoors or outdoors.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	61905B	200 / BOX	1 BOX	22.31
	3/4"	61907B	100 / BOX	1 BOX	16.33
	1"	61910B	100 / BOX	1 BOX	28.61
	1 1/4"	61912B	50 / BOX	1 BOX	18.71
	1 1/2"	61915B	50 / BOX	1 BOX	32.25
	2"	61920B	50 / BOX	1 BOX	14.74
	2 1/2"	61925B	25 / BOX	1 BOX	1.91
	3"	61930B	25 / BOX	1 BOX	4.53
	3 1/2"	61935B	10 / BOX	1 BOX	10.34
	4"	61940B	10 / BOX	1 BOX	11.56



SEALING CONDUIT LOCKNUTS

Steel

- **APPLICATION:** Used to secure Rigid, IMC conduit or various threaded fittings to a steel outlet box or other metal enclosures, when moisture proof protection is desired. Indoors or outdoors.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	61805B	50 / BOX	1 BOX	11.83
	3/4"	61807B	25 / BOX	1 BOX	9.33
	1"	61810B	25 / BOX	1 BOX	11.83
	1 1/4"	61812B	10 / BOX	1 BOX	9.83
	1 1/2"	61815B	10 / BOX	1 BOX	9.83
	2"	61820B	10 / BOX	1 BOX	13.83
	2 1/2"	96125B	25 / BOX	1 BOX	
	3"	96130B	25 / BOX	1 BOX	
	3 1/2"	96135B	25 / BOX	1 BOX	
	4"	96140B	25 / BOX	1 BOX	



CONDUIT LOCKNUTS

Zinc Die Cast

- **APPLICATION:** Used to secure Rigid, IMC conduit or various threaded fittings to a steel outlet box or other metal enclosures. Indoors or outdoors.

Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	01905B	200 / BOX	1 BOX	19.31
	3/4"	01907B	100 / BOX	1 BOX	15.83
	1"	01910B	100 / BOX	1 BOX	24.45
	1 1/4"	01912B	50 / BOX	1 BOX	20.45
	1 1/2"	01915B	50 / BOX	1 BOX	25.20
	2"	01920B	50 / BOX	1 BOX	13.60
	2 1/2"	01925B	25 / BOX	1 BOX	3.55
	3"	01930B	25 / BOX	1 BOX	5.26
	3 1/2"	01935B	10 / BOX	1 BOX	
	4"	01940B	10 / BOX	1 BOX	10.63



GROUNDING LOCKNUTS

Zinc Die Cast

- **APPLICATION:** Used to secure Rigid, IMC conduit or various threaded fittings to a steel outlet box or other metal enclosures. Indoors or outdoors.

Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	01805B	100 / BOX	1 BOX	
	3/4"	01807B	100 / BOX	1 BOX	
	1"	01810B	50 / BOX	1 BOX	
	1 1/4"	01812B	50 / BOX	1 BOX	
	1 1/2"	01815B	25 / BOX	1 BOX	
	2"	01820B	20 / BOX	1 BOX	
	2 1/2"	01825B	50 / BOX	1 BOX	
	3"	01830B	50 / BOX	1 BOX	
	3 1/2"	01835B	25 / BOX	1 BOX	
	4"	01840B	25 / BOX	1 BOX	



GROUNDING LOCKNUTS

Steel

- **APPLICATION:** Used to secure Rigid, IMC conduit or various threaded fittings to a steel outlet box or other metal enclosures. Indoors or outdoors.


Contact us for Canadian
regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	68105B	100 / BOX	1 BOX	
	3/4"	68107B	100 / BOX	1 BOX	
	1"	68110B	50 / BOX	1 BOX	
	1 1/4"	68112B	50 / BOX	1 BOX	
	1 1/2"	68115B	25 / BOX	1 BOX	
	2"	68120B	20 / BOX	1 BOX	
	2 1/2"	68125B	50 / BOX	1 BOX	
	3"	68130B	50 / BOX	1 BOX	
	3 1/2"	68135B	25 / BOX	1 BOX	
	4"	68140B	25 / BOX	1 BOX	



INSULATED METALLIC GROUNDING BUSHING

Zinc Die Cast

- **APPLICATION:** Used with locknut to terminate service conduit to a cabinet. Lug provided for bonding jumper to a neutral bus bar. Indoors or Outdoors.


Contact us for Canadian
regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	95205B	25 / BOX	1 BOX	1.61
	3/4"	95207B	25 / BOX	1 BOX	1.86
	1"	95210B	25 / BOX	1 BOX	10.14
	1 1/4"	95212B	20 / BOX	1 BOX	2.74
	1 1/2"	95215B	20 / BOX	1 BOX	3.62
	2"	95220B	10 / BOX	1 BOX	2.09
	2 1/2"	95225B	10 / BOX	1 BOX	17.23
	3"	95230B	10 / BOX	1 BOX	19.99
	3 1/2"	95235B	5 / BOX	1 BOX	15.59
	4"	95240B	5 / BOX	1 BOX	13.63



CLAMP BACKS

Malleable Iron

- **APPLICATION:** Used to provide spacing between mounting surface and Rigid conduit. Indoors or outdoors.


Contact us for Canadian
regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	33205B	25 / BOX	1 BOX	29.75



REDUCING BUSHINGS

Steel

- **APPLICATION:** Used to reduce the entry size of a run of threaded conduit. Dry locations only.

Contact us for Canadian
regulatory listings 

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	3/4" x 1/2"	13205B	50 / BOX	1 BOX	20.00
	1" x 1/2"	13305B	50 / BOX	1 BOX	24.61
	1" x 3/4"	13307B	50 / BOX	1 BOX	14.40
	1 1/4" x 1/2"	13405B	25 / BOX	1 BOX	25.76
	1 1/4" x 3/4"	13407B	25 / BOX	1 BOX	
	1 1/4" x 1"	13410B	25 / BOX	1 BOX	13.56
	1 1/2" x 1/2"	13505B	25 / BOX	1 BOX	39.14
	1 1/2" x 3/4"	13507B	25 / BOX	1 BOX	33.14
	1 1/2" - 1"	13510B	25 / BOX	1 BOX	
	1 1/2" - 1 1/4"	13512B	10 / BOX	1 BOX	
	2" x 1/2"	13605B	10 / BOX	1 BOX	8.65
	2" - 1/2"	13607B	10 / BOX	1 BOX	
	2" - 3/4"	13610B	10 / BOX	1 BOX	
	2" - 1"	13612B	10 / BOX	1 BOX	
	2" - 1 1/4"	13615B	10 / BOX	1 BOX	
	2" - 1 1/2"	13715B	5 / BOX	1 BOX	5.65



ONE-HOLE STRAPS

Malleable Iron

- **APPLICATION:** Used to secure Rigid or IMC conduit to wood, masonry or similar surfaces where load bearing is required. Indoors or outdoors.


Contact us for Canadian
regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	31205B	50 / BOX	1 BOX	27.25
	3/4"	31207B	50 / BOX	1 BOX	32.25
	1"	31210B	25 / BOX	1 BOX	
	1 1/2"	31215B	10 / BOX	1 BOX	
	1 1/4"	31312B	20 / BOX	1 BOX	
	2"	31320B	25 / BOX	1 BOX	
	2 1/2"	31325B	25 / BOX	1 BOX	
	3"	31230B	25 / BOX	1 BOX	
	3 1/2"	31235B	10 / BOX	1 BOX	
	4"	31240B	10 / BOX	1 BOX	



CLAMP BACK AND ONE HOLE STRAP

Malleable Iron

- **APPLICATION:** Used to secure Rigid or IMC conduit to mounting surface, and to provide space between conduit and mounting surface. Indoors or outdoors.


Contact us for Canadian
regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1 1/4"	53212	1 / BAG	10 BAGS	3.66
	2"	53220	1 / BAG	10 BAGS	8.74



HALEX®
BEYOND THE CURRENT
halexco.com

SPEED THREAD

ONE HOLE STRAP SPEED THREAD

Steel

- **APPLICATION:** Used to join RGD conduit to flexible metallic conduit in a dry or wet location. Outdoors or Indoors.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	1/2"	61705B	40 / CCP	4 CCP's	7.4
	3/4"	61707B	20 / CCP	4 CCP's	5.3

ONE-HOLE STRAPS

Steel

- **APPLICATION:** Used to secure Rigid or IMC conduit to wood, masonry or similar surfaces where load bearing is required. Indoors or outdoors.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	1/2"	61105B	100 / CCP	4 CCP's	33.50
	3/4"	61107B	100 / CCP	4 CCP's	54.90
BULK	1"	61110B	50 / BOX	1 BOX	43.25
	1 1/4"	61112B	50 / BOX	1 BOX	5.23
	1 1/2"	61115B	25 / BOX	1 BOX	41.96
	2"	61120B	10 / BOX	1 BOX	
	2 1/2"	61425B	50 / BOX	1 BOX	
	3 1/2"	61135B*	25 / BOX	1 BOX	20.23
	4"	61140B*	20 / BOX	1 BOX	16.33

*Both EMT and RGD

TWO-HOLE STRAPS

Steel

CONTINUATION OF CHART FROM PREVIOUS PAGE.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	61205B	100 / BOX	1 BOX	20.55
	3/4"	61207B	100 / BOX	1 BOX	24.61
	1"	61210B	50 / BOX	1 BOX	23.43
	1 1/4"	61212B	25 / BOX	1 BOX	16.39
	1 1/2"	61215B	25 / BOX	1 BOX	29.14
	2"	61220B	50 / BOX	1 BOX	23.09
	2 1/2"	61225B	25 / BOX	1 BOX	4.07
	3 1/2"	61235B	25 / BOX	1 BOX	7.73
	4"	61240B	20 / BOX	1 BOX	7.33

EMT / RIGID CONDUIT BODIES

Aluminum

WITH COVER AND GASKET ASSEMBLED



Contact us for Canadian regulatory listings

- **APPLICATION:** Used to gain access to the interior of a raceway for wire pulling, splicing (with limitations as specified by NEC), and maintenance. Suitable for outdoor locations when protected by overhead cover.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
TYPE: LL WITH COVER AND GASKET					
BULK	1/2"	56205B	10 / BOX	1 BOX	
	3/4"	56207B	10 / BOX	1 BOX	
	1"	56210B	5 / BOX	1 BOX	
	1 1/4"	56212B	2 / BOX	1 BOX	
	1 1/2"	56215B	2 / BOX	1 BOX	
	2"	56220B	5 / BOX	1 BOX	

TYPE: C WITH COVER AND GASKET

BULK	1/2"	56405B	10 / BOX	1 BOX	
	3/4"	56407B	10 / BOX	1 BOX	
	1"	56410B	5 / BOX	1 BOX	
	1 1/4"	56412B	2 / BOX	1 BOX	
	1 1/2"	56415B	2 / BOX	1 BOX	
	2"	56420B	5 / BOX	1 BOX	

TYPE: LB WITH COVER AND GASKET

BULK	1/2"	57505B	10 / BOX	1 BOX	
	3/4"	57507B	10 / BOX	1 BOX	
	1"	57510B	5 / BOX	1 BOX	
	1 1/4"	57512B	2 / BOX	1 BOX	
	1 1/2"	57515B	2 / BOX	1 BOX	
	2"	57520B	5 / BOX	1 BOX	

CONTINUATION OF CHART PROVIDED ON NEXT PAGE



HALEX
BEYOND THE CURRENT
halexco.com

CONTINUATION OF CHART FROM PREVIOUS PAGE.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
TYPE: T WITH COVER AND GASKET					
BULK	1/2"	56805B	10 / BOX	1 BOX	
	3/4"	56807B	10 / BOX	1 BOX	
	1 "	56810B	5 / BOX	1 BOX	
	1 1/4"	56812B	2 / BOX	1 BOX	
	1 1/2"	56815B	2 / BOX	1 BOX	
	2"	56820B	5 / BOX	1 BOX	

TYPE: LR WITH COVER AND GASKET					
BULK	1/2"	56505B	10 / BOX	1 BOX	
	3/4"	56507B	10 / BOX	1 BOX	
	1"	56510B	5 / BOX	1 BOX	
	1 1/4"	56512B	2 / BOX	1 BOX	
	1 1/2"	56515B	2 / BOX	1 BOX	
	2"	56520B	5 / BOX	1 BOX	

TYPE: X WITH COVER AND GASKET					
BULK	1/2"	55505B	5 / BOX	1 BOX	
	3/4"	55507B	5 / BOX	1 BOX	
	1"	55510B	2 / BOX	1 BOX	
	1 1/4"	55512B	1 / BOX	1 BOX	
	1 1/2"	55515B	1 / BOX	1 BOX	
	2"	55520B	1 / BOX	1 BOX	

EMT / RIGID CONDUIT BODIES

WITHOUT COVER AND GASKET ASSEMBLED

- **APPLICATION:** Used to gain access to the interior of a raceway for wire pulling, splicing (with limitations as specified by NEC), and maintenance. Suitable for outdoor locations when protected by overhead cover.

Aluminum



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
TYPE LL: WITHOUT COVER AND GASKET					
BULK	1/2"	57305B	10 / BOX	1 BOX	
	3/4"	57307B	10 / BOX	1 BOX	
	1"	57310B	5 / BOX	1 BOX	
	1 1/4"	57312B	2 / BOX	1 BOX	
	1 1/2"	57315B	2 / BOX	1 BOX	
	2"	57320B	5 / BOX	1 BOX	

CONTINUATION OF CHART FROM PREVIOUS PAGE.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
TYPE: C WITHOUT COVER AND GASKET					
BULK	1/2"	57905B	10 / BOX	1 BOX	
	3/4"	57907B	10 / BOX	1 BOX	
	1"	57910B	5 / BOX	1 BOX	
	1 1/4"	57912B	2 / BOX	1 BOX	
	1 1/2"	57915B	2 / BOX	1 BOX	
	2"	57920B	5 / BOX	1 BOX	

TYPE: LB WITHOUT COVER AND GASKET					
BULK	1/2"	57605B	10 / BOX	1 BOX	
	3/4"	57607B	10 / BOX	1 BOX	
	1"	57610B	5 / BOX	1 BOX	
	1 1/4"	57612B	2 / BOX	1 BOX	
	1 1/2"	57615B	2 / BOX	1 BOX	
	2"	57620B	5 / BOX	1 BOX	

TYPE: T WITHOUT COVER AND GASKET					
BULK	1/2"	55805B	10 / BOX	1 BOX	
	3/4"	55807B	10 / BOX	1 BOX	
	1"	55810B	5 / BOX	1 BOX	
	1 1/4"	55812B	2 / BOX	1 BOX	
	1 1/2"	55815B	2 / BOX	1 BOX	
	2"	55820B	5 / BOX	1 BOX	

TYPE: LR WITHOUT GASKET					
BULK	1/2"	57705B	10 / BOX	1 BOX	
	3/4"	57707B	10 / BOX	1 BOX	
	1"	57710B	5 / BOX	1 BOX	
	1 1/4"	57712B	2 / BOX	1 BOX	
	1 1/2"	57715B	2 / BOX	1 BOX	
	2"	57720B	5 / BOX	1 BOX	



HALEX[®]
BEYOND THE CURRENT
halexco.com

1.800.749.3261
halexco.com

MOGUL PULLING ELBOWS - TYPE LB

Aluminum

- **APPLICATION:** Used to gain access to the interior of a raceway for wire pulling, splicing (with limitations as specified by the NEC), and maintenance. Indoors or outdoors.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1 1/4"	58212B	5 / BOX	1 BOX	
	1 1/2"	58215B	2 / BOX	1 BOX	
	2"	58220B	2 / BOX	1 BOX	8.46
	2 1/2"	58225B	1 / BOX	1 BOX	
	3"	58230B	1 / BOX	1 BOX	
	3 1/2"	58235B	1 / BOX	1 BOX	
	4"	58240B	1 / BOX	1 BOX	



THREADED CONDUIT BODIES

Aluminum

WITHOUT COVER AND GASKET

- **APPLICATION:** Used to gain access to the interior of a raceway for wire pulling, splicing (with limitations as specified by the NEC), and maintenance. Indoors or outdoors when gasket and cover are installed.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
TYPE: LB WITHOUT COVER AND GASKET					
BULK	1/2"	59605B	10 / BOX	1 BOX	
	3/4"	59607B	10 / BOX	1 BOX	
	1"	59610B	5 / BOX	1 BOX	
	1 1/4"	59612B	2 / BOX	1 BOX	
	1 1/2"	59615B	2 / BOX	1 BOX	
	2"	59620B	1 / BOX	1 BOX	
	2 1/2"	59625B	1 / BOX	1 BOX	
	3"	59630B	1 / BOX	1 BOX	5.59
	3 1/2"	59635B	1 / BOX	1 BOX	11.00
	4"	59640B	1 / BOX	1 BOX	12.85



TYPE: T WITHOUT COVER AND GASKET

BULK	1/2"	59805B	10 / BOX	1 BOX	
	3/4"	59807B	10 / BOX	1 BOX	
	1"	59810B	5 / BOX	1 BOX	
	1 1/4"	59812B	2 / BOX	1 BOX	
	1 1/2"	59815B	2 / BOX	1 BOX	
	2"	59820B	1 / BOX	1 BOX	
	2 1/2"	59825B	1 / BOX	1 BOX	6.94
	3"	59830B	1 / BOX	1 BOX	7.50
	3 1/2"	59835B	1 / BOX	1 BOX	
	4"	59840B	1 / BOX	1 BOX	11.53



TYPE: LL WITHOUT COVER AND GASKET

BULK	1/2"	59905B	10 / BOX	1 BOX	
	3/4"	59907B	10 / BOX	1 BOX	
	1"	59910B	5 / BOX	1 BOX	
	1 1/4"	59912B	2 / BOX	1 BOX	
	1 1/2"	59915B	2 / BOX	1 BOX	
	2"	59920B	1 / BOX	1 BOX	
	2 1/2"	59925B	1 / BOX	1 BOX	3.91
	3"	59930B	1 / BOX	1 BOX	7.31
	3 1/2"	59935B	1 / BOX	1 BOX	
	4"	59940B	1 / BOX	1 BOX	10.71



HALEX®
BEYOND THE CURRENT
halexco.com

1.800.749.3261
halexco.com

CONTINUATION OF CHART FROM PREVIOUS PAGE.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
 	TYPE: LR WITHOUT COVER AND GASKET				
	1/2"	59705B	10 / BOX	1 BOX	
	3/4"	59707B	10 / BOX	1 BOX	
	1"	59710B	5 / BOX	1 BOX	
	1 1/4"	59712B	2 / BOX	1 BOX	
	1 1/2"	59715B	2 / BOX	1 BOX	
	2"	59720B	1 / BOX	1 BOX	
	2 1/2"	59725B	1 / BOX	1 BOX	3.91
	3"	59730B	1 / BOX	1 BOX	7.71
	3 1/2"	59735B	1 / BOX	1 BOX	
	4"	59740B	1 / BOX	1 BOX	11.24

 	TYPE: C WITHOUT COVER AND GASKET				
	1/2"	59405B	10 / BOX	1 BOX	
	3/4"	59407B	10 / BOX	1 BOX	
	1"	59410B	5 / BOX	1 BOX	
	1 1/4"	59412B	2 / BOX	1 BOX	
	1 1/2"	59415B	2 / BOX	1 BOX	
	2"	59420B	1 / BOX	1 BOX	
	2 1/2"	59425B	1 / BOX	1 BOX	
	3"	59430B	1 / BOX	1 BOX	
	3 1/2"	59435B	1 / BOX	1 BOX	
	4"	59440B	1 / BOX	1 BOX	

THREADED CONDUIT BODIES

WITH STAMPED COVER

- **APPLICATION:** Used to gain access to the interior of a raceway for wire pulling, splicing (with limitations as specified by the NEC), and maintenance. Indoors or outdoors.

Aluminum



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
	TYPE: LB WITH STAMPED COVER				
	1/2"	58605B	10 / BOX	1 BOX	
	3/4"	58607B	10 / BOX	1 BOX	
	1"	58610B	5 / BOX	1 BOX	
	1 1/4"	58612B	2 / BOX	1 BOX	
	1 1/2"	58615B	2 / BOX	1 BOX	
	2"	58620B	1 / BOX	1 BOX	
	2 1/2"	58625B	1 / BOX	1 BOX	
	3"	58630B	1 / BOX	1 BOX	5.59
	3 1/2"	58635B	1 / BOX	1 BOX	11.00
	4"	58640B	1 / BOX	1 BOX	12.85

CONTINUATION OF CHART FROM PREVIOUS PAGE.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
	TYPE: T WITH STAMPED COVER				
	1/2"	58805B	10 / BOX	1 BOX	
	3/4"	58807B	10 / BOX	1 BOX	
	1"	58810B	5 / BOX	1 BOX	
	1 1/4"	58812B	2 / BOX	1 BOX	
	1 1/2"	58815B	2 / BOX	1 BOX	
	2"	58820B	1 / BOX	1 BOX	3.03
	2 1/2"	58825B	1 / BOX	1 BOX	6.94
	3"	58830B	1 / BOX	1 BOX	7.50
	3 1/2"	58835B	1 / BOX	1 BOX	
	4"	58840B	1 / BOX	1 BOX	11.53

	TYPE: C WITH STAMPED COVER				
	1/2"	58405B	10 / BOX	1 BOX	
	3/4"	58407B	10 / BOX	1 BOX	
	1"	58410B	5 / BOX	1 BOX	
	1 1/4"	58412B	2 / BOX	1 BOX	
	1 1/2"	58415B	2 / BOX	1 BOX	
	2"	58420B	1 / BOX	1 BOX	
	2 1/2"	58425B	1 / BOX	1 BOX	
	3"	58430B	1 / BOX	1 BOX	
	3 1/2"	58435B	1 / BOX	1 BOX	
	4"	58440B	1 / BOX	1 BOX	

TYPE: LR WITH STAMPED COVER

	1/2"	58905B	10 / BOX	1 BOX	
	3/4"	58907B	10 / BOX	1 BOX	
	1"	58910B	5 / BOX	1 BOX	
	1 1/4"	58912B	2 / BOX	1 BOX	
	1 1/2"	58915B	2 / BOX	1 BOX	
	2"	58920B	1 / BOX	1 BOX	
	2 1/2"	58925B	1 / BOX	1 BOX	3.91
	3"	58930B	1 / BOX	1 BOX	7.31
	3 1/2"	58935B	1 / BOX	1 BOX	
	4"	58940B	1 / BOX	1 BOX	11.24

THREADED CONDUIT BODIES WITH STAMPED COVER ALUMINUM CONTINUED FROM PREVIOUS PAGE

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
TYPE: LL WITH STAMPED COVER					
BULK	1/2"	58305B	10 / BOX	1 BOX	
	3/4"	58307B	1 / BOX	1 BOX	
	1"	58310B	1 / BOX	1 BOX	
	1 1/4"	58312B	1 / BOX	1 BOX	
	1 1/2"	58315B	2 / BOX	1 BOX	
	2"	58320B	1 / BOX	1 BOX	
	2 1/2"	58325B	1 / BOX	1 BOX	3.91
	3"	58330B	1 / BOX	1 BOX	7.31
	3 1/2"	58335B	1 / BOX	BULK	
	4"	58340B	1 / BOX	1 BOX	10.71

SERVICE ENTRANCE ELL

- **APPLICATION:** Used to gain access to the interior of a raceway for wire pulling, inspections, and maintenance. Indoors or outdoors.

Aluminum

Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	59505	1 / BAG	10 BAGS	2.16
	3/4"	59507	1 / BAG	5 BAGS	1.74
	1"	59510	1 / BAG	3 BAGS	1.46
	1 1/4"	59512	1 / BAG	2 BAGS	1.72
	1 1/2"	59515	1 / BAG	2 BAGS	1.99
	2"	59520	1 / BAG	1 BAG	1.49

CONDUIT BODY COVERS

- **APPLICATION:** Used to cover all styles of metallic conduit bodies. Indoors or outdoors.

Aluminum

Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	59205B	50 / BOX	1 BOX	3.16
	3/4"	59207B	50 / BOX	1 BOX	4.16
	1"	59210B	50 / BOX	1 BOX	4.82
	1 1/4"-1 1/2"	59215B	50 / BOX	1 BOX	8.82
	2"	59220B	25 / BOX	1 BOX	7.37
	3"	59230B	10 / BOX	1 BOX	
	4"	59240B	5 / BOX	1 BOX	

CONDUIT BODY GASKETS

- **APPLICATION:** Used in conjunction with cover to provide a dust-tight seal to all types of metallic conduit bodies. Indoors or outdoors.

Neoprene

Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	59105B	25 / BOX	1 BOX	0.36
	3/4"	59107B	100 / BOX	1 BOX	0.36
	1"	59110B	25 / BOX	1 BOX	0.36
	1 1/4" - 1 1/2"	59115B	20 / BOX	1 BOX	0.56
	2"	59120B	20 / BOX	1 BOX	1.32
	2 1/2" - 3"	59130B	10 / BOX	1 BOX	0.87
	3 1/2" - 4"	59140B	10 / BOX	1 BOX	1.06



HALEX®

BEYOND THE CURRENT



SERVICE ENTRANCE FITTINGS

- Straps.....76
- Water-Tight Connectors.....76
- Service Entrance Caps.....77-78
- Sill Plates79
- Clamp Connectors.....79
- Kenny Clamps79
- Offset Bottom Reducers...80
- Conduit Supports80
- Service Drop Brackets80
- Fork Bolts80
- Porcelain Wireholders.....81
- Service Clevis81
- Service Entrance ELL .81-82
- Wedge Clamp Connectors.82
- Roof Flashings.....82
- Electric Pain Washers.....82

ONE-HOLE GROUNDED STRAPS

Steel

- **APPLICATION:** Use to secure bare solid copper wire to a working surface. Indoors or outdoors.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	3/16"	26212	50 / BAG	20 BAGS	2.58
	1/4"	26214	50 / BAG	10 BAGS	2.72

ONE-HOLE STRAPS (SE & SEU CABLE)

Steel

- **APPLICATION:** Use to secure service entrance cable to a wood, masonry or similar surface. Indoors or outdoors. For insulated wire.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	#12/2 - #14/2	62171B	100 / BOX	1 BOX	13.83
	3#8 - 3#4	62191B	100 / BOX	1 BOX	21.83
	3#3 - 3#2	62192B	100 / BOX	1 BOX	23.43
	3#1 - 3#2/0	62193B	25 / BOX	1 BOX	19.33
	3#3/0 - 3#4/0	62194B	25 / BOX	1 BOX	22.25

TWO-HOLE STRAPS (SE & SEU CABLE)

Steel

- **APPLICATION:** Use to secure service entrance cable (SEU, SER) to a wood, masonry or similar surface. Indoors or outdoors. For insulated wire.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	3#8 - 3#4	62291B	100 / BOX	1 BOX	22.25
	3#3 - 3#2	62292B	100 / BOX	1 BOX	22.25
	3#1 - 3#2/0	62293B	25 / BOX	1 BOX	6.83
	3#3/0 - 3#4/0	62294B	25 / BOX	1 BOX	

WATER-TIGHT CONNECTORS

Zinc Die Cast

- **APPLICATION:** Use to secure SE/SEU cable to a metal enclosure. Use to connect UF cable to a waterproof box with threaded hub. Indoors or outdoors. The SIZE column below includes the gauge size for each part number



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	06605B	25 / BOX	1 BOX	25.83
	3/4" #12-3	06607B	25 / BOX	1 BOX	37.83
	3/4" 14/2-12/2	67607B	25 / BOX	1 BOX	
	3/4" 14/3- 10/3	67707B	25 / BOX	1 BOX	
	1" / 3#4	07310B	10 / BOX	1 BOX	19.91
	1" / 3#6	07210B	10 / BOX	1 BOX	
	1" / 3#8	07410B	10 / BOX	1 BOX	
	1 1/4" / 3#3	08112B	10 / BOX	1 BOX	31.91
	1 1/4" / 3#2	08212B	10 / BOX	1 BOX	40.93
	1 1/4" / 3#1	07412B	10 / BOX	1 BOX	
	1 1/2" / 3#2/0	07415B	10 / BOX	1 BOX	
	1 1/2" / 3#1/0	09115B	5 / BOX	1 BOX	
	2" / 3#2/0	10220B	5 / BOX	1 BOX	46.01
	2" / 3#4/0	10420B	5 / BOX	1 BOX	45.51
	2" / 3#4/0	10520B	5 / BOX	1 BOX	45.51
	2" / 3#1/0	07420B	5 / BOX	1 BOX	



SERVICE ENTRANCE CAPS - CLAMP TYPE

Aluminum

- **APPLICATION:** Use in an overhead service entrance. Mounts on top of EMT, Rigid, or IMC conduit. Indoors or outdoors.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	58005B	10 / BOX	1 BOX	
	3/4"	58007B	10 / BOX	1 BOX	
	1"	58010B	5 / BOX	1 BOX	
	1 1/4"	58012B	5 / BOX	1 BOX	2.92
	1 1/2"	58015B	3 / BOX	1 BOX	
	2"	58020B	5 / BOX	1 BOX	7.08
	2 1/2"	58025B	1 / BOX	1 BOX	
	3"	58030B	1 / BOX	1 BOX	4.84
	3 1/2"	58035B	1 / BOX	1 BOX	7.20
	4"	58040B	1 / BOX	1 BOX	7.20





OVAL SERVICE ENTRANCE CAPS

- **APPLICATION:** Use in overhead services that utilize SEU cable. Indoors or outdoors.

Aluminum



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	3#8 - #1	57499B	20 / BOX	1 BOX	
	3#1/0 - 4/0	57699B	10 / BOX	1 BOX	




OVAL SERVICE ENTRANCE CABLE HOODS

- **APPLICATION:** Use in overhead services that utilize SEU cable. Indoors or outdoors.

PVC

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	3#3 - 1	77631B	10 / BOX	1 BOX	
	3#2/0 - 4/0	77702B	10 / BOX	1 BOX	



OVAL SERVICE ENTRANCE CAPS

- **APPLICATION:** Use in overhead services that utilize SEU cable. Indoors or outdoors.

PVC



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	3#2/0 - #4/0	77902B	10 / BOX	1 BOX	
	#2/3	77906B	30 / BOX	1 BOX	



SERVICE ENTRANCE CAPS - SET SCREW TYPE

- **APPLICATION:** Use in an overhead service entrance. Mounts on top of EMT, Rigid, or IMC conduit. Indoors or outdoors.

Aluminum



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	2 1/2"	57925B	10 / BOX	1 BOX	



PVC SERVICE ENTRANCE CAPS

- **APPLICATION:** Use in overhead service entrance. Mounts on top of PVC conduit. Serves as connecting point for service entrance wires. Outdoors.

PVC



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1"	77910	1 / BAG	5 BAGS	1.28
	2"	77920	1 / BAG	2 BAGS	2.32

SILL PLATES

- **APPLICATION:** In conjunction with sealing compound, use to protect the service entrance cable and cover the hole where it enters the dwelling. Outdoors only. The SIZE column below includes the gauge size for each part number.

Aluminum

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	4/0	50504B	20 / BOX	1 BOX	
	1/2" - 3/4"	50505B	10 / BOX	1 BOX	
	1" 3/3	50510B	10 / BOX	1 BOX	
	1 1/4" 3/2	50512B	25 / BOX	1 BOX	
	1 1/2"	50515B	25 / BOX	1 BOX	
	2"	50520B	25 / BOX	1 BOX	



CLAMP CONNECTORS - SERVICE ENTRANCE

- **APPLICATION:** In a dry location, use to connect oval service cable to steel outlet box or other metal enclosure. Indoors only.

Zinc Die Cast



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1"	05310B	25 / BOX	1 BOX	
	1 1/4"	05312B	10 / BOX	1 BOX	21.49
	1 1/2"	05315B	5 / BOX	1 BOX	11.64
	2"	05320B	10 / BOX	1 BOX	18.88



KENNY CLAMPS

- **APPLICATION:** Ensures code compliance for grounding electrode conductors installations. Indoors only.

Bronze



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2" 1/0	38001B	10 / BOX	1 BOX	
	1/2" 2/0	38002B	10 / BOX	1 BOX	
	1/2" 3/0	38003B	10 / BOX	1 BOX	
	1/2" 2	38020B	10 / BOX	1 BOX	
	1/2" 4	38041B	10 / BOX	1 BOX	
	1/2" 6	38061B	10 / BOX	1 BOX	
	1/2" 8	38081B	10 / BOX	1 BOX	
	1/2" 4	38040B	10 / BOX	1 BOX	
	1/2" 6	38060B	10 / BOX	1 BOX	
	1/2" 8	38080B	10 / BOX	1 BOX	





OFFSET BOTTOM REDUCERS

- **APPLICATION:** Use to connect Rigid or IMC conduit to a metal base hub. Indoors or outdoors.

Aluminum



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	2"	50920B	50 / BOX	1 BOX	
	2 1/2"	50925B	25 / BOX	1 BOX	



CONDUIT SUPPORTS (LAG SCREW)

- **APPLICATION:** Use to secure SE conduit to surface of building. Indoors or outdoors.

Malleable Iron

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	2"	51320B	25 / BOX	1 BOX	
	2 1/2"	51325B	25 / BOX	1 BOX	



CONDUIT SUPPORTS (BOLT NUT WASHER)

- **APPLICATION:** Use to secure service entrance conduit to the surface of a building. Indoors or outdoors.

Malleable Iron

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	2"	33520B	25 / BOX	1 BOX	
	2 1/2"	33525B	25 / BOX	1 BOX	



SERVICE DROP BRACKETS

- **APPLICATION:** Use to secure service entrance pipe to the house. Outdoors.

Steel

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	19/32"	58050	1 / BAG	10 BAGS	19.28



FORK BOLTS

- **APPLICATION:** Used to secure service entrance cables to a structure. Outdoors only.

Steel

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	12" Bolt	58060	1 / BAG	4 BAGS	6.63

ADJUSTABLE PORCELAIN WIREHOLDER

Porcelain

- **APPLICATION:** Use as a holding device for the incoming service entrance wires. Mounts below the overhead service entrance cap. Holds less than 100 lbs. Indoors or outdoor.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1 1/4" - 3"	60525B	20 / BOX	1 BOX	




PORCELAIN WIREHOLDERS

Porcelain

- **APPLICATION:** Use in overhead services to secure the incoming service entrance wires. SIZE column indicated length of the screw. Indoors or outdoors.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
LIGHT DUTY					
BULK	1 11/16"	60416B	10 / BOX	1 BOX	



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
MEDIUM DUTY					
BULK	2 1/4"	60322B	10 / BOX	1 BOX	



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
HEAVY DUTY					
BULK	2 1/4"	60222B	10 / BOX	1 BOX	

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
HEAVY DUTY WITH PIPE HANGER					
BULK	2"	60646B	25 / BOX	1 BOX	

SERVICE CLEVIS

Porcelain

- **APPLICATION:** Used to dead-end service entrance drops at either end. Holds up to 500 lbs. Indoors or outdoors.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	3/16" x 3"	60625	1 / BAG	1 BAG	4.01



SERVICE ENTRANCE ELL

Aluminum

- **APPLICATION:** Use to gain access to the interior of a raceway for wire pulling, inspections, and maintenance. Indoors or outdoors.

Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	59505B	10 / BOX	1 BOX	
	3/4"	59507B	10 / BOX	1 BOX	
	1"	59510B	5 / BOX	1 BOX	
	1 1/4"	59512B	2 / BOX	1 BOX	
	1 1/2"	59515B	1 / BOX	1 BOX	
	2"	59520B	1 / BOX	1 BOX	



HALEX®
BEYOND THE CURRENT
halexco.com



LONG SERVICE ENTRANCE ELLS-SLB

- **APPLICATION:** Use to gain access to the interior of a raceway for wire pulling, inspections, and maintenance. Indoors or outdoors.

Aluminum



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1 1/4"	59513B	2 / BOX	1 BOX	
	2"	59521B	1 / BOX	1 BOX	

WEDGE CLAMP CONNECTORS

Aluminum

- **APPLICATION:** Use to connect a triplex overhead service entrance cable to a mounting device or building. Indoors or outdoors. In order of parts: 300 lbs, 400 lbs, 500 lbs.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	6 - 2	51061B	50 / BOX	1 BOX	
	4 - 1/0	51062B	25 / BOX	1 BOX	
	2/0-4/0	51063B	25 / BOX	1 BOX	

ROOF FLASHINGS

Steel



Contact us for Canadian regulatory listings

- **APPLICATION:** Use to prevent water leaks in overhead services where conduit mast penetrates the roof surface. Outdoors.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1 1/4"	60812B	25 / BOX	1 BOX	
	1 1/2"	60815B	25 / BOX	1 BOX	
	2"	60820B	25 / BOX	1 BOX	
	2 1/2"	60825B	25 / BOX	1 BOX	

ROOF FLASHINGS

Neoprene



Contact us for Canadian regulatory listings

- **APPLICATION:** Use to prevent water leaks in overhead services where conduit mast penetrates the roof surface. Outdoors.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1 1/4"	20815B	12 / BOX	1 BOX	
	2"	20820B	25 / BOX	1 BOX	
	2 1/2"	20825B	25 / BOX	1 BOX	
	3"	20830B	25 / BOX	1 BOX	

ELECTRIC PANE WASHERS

Steel

- **APPLICATION:** Used to secure a panel to a wall. Indoors only.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1 1/4" Diameter	96312	1 / BAG	10 BAGS	0.93



ACCESSORIES

- Cable Staples 84
- Plastic Insulating Staples 84
- Strain Relief Cord Connector..... 84
- Non-Metallic Strain Relief Corn Connector..... 84
- Knockout Seals..... 85
- 3-Piece Knockout Seals.. 85
- Switch Box Supports 85
- Snap-In Bushings 86
- Universal Snap-In Bushings 86
- Nail Plates 86
- Jack Chain 86
- "S" Hook.....86
- "Sky Tie" Cable Clamps... 86
- Extension Springs 87
- Duct Seal 87
- Fixture Hangers 87
- Conduit Hangers 87-88
- Beam Clamps 88

CABLE STAPLES FOR SEU AND RANGE CABLE

Steel

- **APPLICATION:** Use to secure non-metallic sheathed, armored or SEU cable to wood surfaces. Indoors only.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	#14 to #12-2	61010	100 / BOX	1 BOX	1.00
	#14 to #12-2	61050	500 / BOX	1 BOX	4.00
	#14 ro #10-3	62510	100 / BOX	1 BOX	2.00

PLASTIC INSULATING STAPLES

Plastic with Steel Nails

- **APPLICATION:** Use to secure non-metallic sheathed cable or UF cable to wood surfaces. Indoors only.
1 NM cable #14 - #12 and UF cable #14/2 - #12/2
2 NM cable #10/2 - #8/2 and UF cable #10/2 - #8/2; #14/3 - #12/3

 Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	27209 ¹	50 / BAG	25 BAGS	7.66
	3/4"	27309 ²	50 / BAG	25 BAGS	8.40

STRAIN RELIEF CORD CONNECTOR

Zinc Die Cast

- **APPLICATION:** Use to connect S, SO, ST, SJ, SJO, and SJT cord to a steel outlet box or other metal enclosure. For round ca ble. Indoors only.
Fits wire range: .220 - .260 1
Fits wire range: .300 - .375 2
Fits wire range: .375 - .500 3
Fits wire range: .400 - .500 4
Fits wire range: .440 - .500 5
Fits wire range: .450 - .500 6
Fits wire range: . 500 - . 625 7
Fits wire range: . 580 - . 625 8
Fits wire range: . 625 - . 750 9
Fits wire range: . 630 - . 720 10
Fits wire range: . 650 - . 740 11
Fits wire range: . 750 - . 850 12

 Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	16911B ¹	25 / BOX	1 BOX	22.83
	1/2"	16912B ²	25 / BOX	1 BOX	22.83
	1/2"	16913B ²	25 / BOX	1 BOX	26.08
	3/4"	16921B ⁶	25 / BOX	1 BOX	33.75
	3/4"	19623B ¹	25 / BOX	1 BOX	33.75
	1"	16933B ¹⁰	10 / BOX	1 BOX	20.01
	1"	16934B ¹²	10 / BOX	1 BOX	36.25

NON-METALLIC STRAIN RELIEF CORD CONNECTOR

PVC

- **APPLICATION:** Used to connect cord to a steel outlet box or other metal enclosure. For round cable. Indoor and outdoor. Liquid tight.
1 Fits wire range: .235 - .400
2 Fits wire range: .410 - .740

 Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	76913B ¹	25 / BOX	1 BOX	2.06
	3/4"	76923B ²	10 /BOX	1 BOX	1.68

KNOCKOUT SEALS

Steel

- **APPLICATION:** Use to cover exposed knockout holes in steel outlet boxes and other metal enclosures. Indoors only.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	1/2"	60704B	150 / CCP	4 CCP's	2.28
	3/4"	60797B	100 / CCP	4 CCP's	2.30
BULK	1/2"	60705B	250 / BOX	4 BOXES	3.16
	3/4"	60707B	250 / BOX	4 BOXES	5.66
	1"	60710B	50 / BOX	10 BOXES	1.84
	1 1/4"	60712B	50 / BOX	1 BOX	
	1 1/2"	60715B	50 / BOX	1 BOX	
	2"	60720B	10 / BOX	1 BOX	

3-PIECE KNOCKOUT SEALS

Steel

- **APPLICATION:** Use to cover exposed knockout holes in steel outlet boxes and other metal enclosures. Indoors only.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	1/2"	60605B	75 / CCP	4 CCP's	7.4
	3/4"	60607B	50 / CPP	4 CCP's	6.6
	1/2"	60610B	50 / CCP	4 CCP's	9.0
	1 1/4"	60612B	25 / CCP	4 CCP's	1.4
BULK	1 1/4"	60615B	20 / BOX	1 BOX	1.8

SWITCH BOX SUPPORTS

Steel

- **APPLICATION:** Use to support attachment of an outlet box in drywall in the absence of a structure member. Indoors only.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	-	62700B	50 PAIRS / BOX	1 BOX	

SNAP-IN BUSHINGS

Plastic

- **APPLICATION:** UUse to protect non-metallic cable from damage when running cable through metal studs. Indoors only.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	72505B	100 / BOX	1 BOX	1.34
	3/4"	72507B	100 / BOX	1 BOX	1.59
	1"	72510B	100 / BOX	1 BOX	1.49
	1 1/2"	72515B	100 / BOX	1 BOX	0.64
	2"	72520B	25 / BOX	1 BOX	1.23

UNIVERSAL SNAP-IN BUSHINGS

Polypropylene

- **APPLICATION:** Use to protect non-metallic cable from damage when running cable through metal studs. Indoors only.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	Universal	72599B	25 / BOX	1 BOX	1.67

NAIL PLATES

Steel

- **APPLICATION:** Use to protect internal wire runs from nail punctures. Indoors only. Plate thickness 0.06"



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	1 1/2" x 2 1/2"	62897	200 / CCP	4 CCP's	14.13
	1 1/2" x 2 1/2"	62899	50 / CCP	4 CCP's	4.32
BULK	1 1/2"X 2 1/2"	62897B	200 / BOX	1 BOX	
	1 1/2" x 5"	62851B	100 / BOX	1 BOX	12.28
	1 1/2"X 2 1/2"	62899XLB	250 / BOX	1 BOX	

JACK CHAIN

Steel

- **APPLICATION:** Supports up to 29lbs. Sold by the foot.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	12GA	60010	100FT / BOX	1 SPOOL	9.20
	10GA	60020	100FT / BOX	1 SPOOL	15.05

“S” HOOK

Steel

- **APPLICATION:** Use to suspend light fixtures. Indoors only.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	12GA	60199	100 / BOX	1 BOX	0.94

“SKY TIE” CABLE CLAMPS

Steel

- **APPLICATION:** Supports and anchors bus-drop cable at a 90 degree angle.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1 1/8" - 1 11/16"	25716B	5 / BOX	1 BOX	8.15
	1/2" - 3/4"	66207B	10 / BOX	1 BOX	4.45
	3/4" - 1 1/8"	66211B	10 / BOX	1 BOX	8.20

EXTENSION SPRINGS

Steel

- **APPLICATION:** Use to suspend “Sky-Tie” cable to clamp. Indoors only.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	10 - 60 LBS	66377B	10 / BOX	1 BOX	2.20
	10 - 70 LBS	66388B	10 / BOX	1 BOX	2.70
	25 - 200 LBS	66399B	5 / BOX	1 BOX	5.23

DUCT SEAL

Steel

- **APPLICATION:** Use to seal around junction boxes, flashings, and service entrance locations. Indoors or outdoors.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1 LB	79910B	1 / BOX	1 BOX	1.00
	5 LB	79950B	1 / BOX	1 BOX	5.00

FIXTURE HANGERS

Steel

- **APPLICATION:** Use to secure and suspend light fixture. Indoors or outdoors

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	4"	69699B	25 / BOX	1 BOX	16.70

CONDUIT HANGERS

Steel

- **APPLICATION:** Use to secure and suspend conduit from overhead supports. Indoors or outdoors. Faster and easy installation, captive screw is included. Indoors or outdoors. Refer to chart below to match the appropriate conduit size with the corresponding product trade size.

Contact us for Canadian regulatory listings



						CONDUIT SIZE	
						EMT	RGD
BULK	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT		
	#0	67800B	100 / BOX	1 BOX	7.39	1/2"	1/2"
	#1	67810B	100 / BOX	1 BOX	8.09	3/4"	3/4"
	#2	67820B	100 / BOX	1 BOX	10.32	1"	1"
	#2	67821B	100 / BOX	1 BOX	10.30		
	#2 1/2	67825B	100 / BOX	1 BOX			
	#3	67830B	100 / BOX	1 BOX	11.56	1 1/2"	1 1/2"
	#4	67840B	100 / BOX	1 BOX	13.99		1 1/2"
	#5	67850B	50 / BOX	1 BOX	10.37	2"	2"
	#6	67860B	50 / BOX	1 BOX	18.11	2 1/2"	2 1/2"
	#7	67870B	50 / BOX	1 BOX	20.41	3 1/2"	3 1/2"
	#8	67880B	25 / BOX	1 BOX	10.99		
	#9	67890B	10 / BOX	1 BOX	6.04	4"	4"



HALEX®
BEYOND THE CURRENT
halexco.com



SPEED THREAD

CONDUIT HANGERS SPEED THREAD

- **APPLICATION:** Use to secure and suspend conduit from overhead supports. Faster and easy installation, captive screw is included. Indoors or outdoors. Refer to chart below to match the appropriate conduit size with the corresponding product trade size.

Steel



Contact us for Canadian regulatory listings

CONDUIT SIZE

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT	EMT	RGD
CCP	0	67801B	45 / CCP	4 CCP's	4.24	1/2"	1/2"
	2	67822B	25 / CCP	4 CCP's	3.52	1"	1"



BEAM CLAMPS

- **APPLICATION:** Use to secure conduit to a metal beam. Indoors or outdoors.

Steel



Contact us for Canadian regulatory listings

	OPENING / THREAD SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	.59" / 1/4-20	65600B	25 / BOX	1 BOX	4.09
	1"	65610B	100 / BOX	1 BOX	



BEAM CLAMPS

- **APPLICATION:** Use to secure conduit to a metal beam. Indoors or outdoors.

Malleable Iron



Contact us for Canadian regulatory listings

	OPENING / THREAD SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	0.79" / 1/4 - 20	35600B	25 / BOX	1 BOX	6.49
	1.00" / 3/8 -16	35610B	10 / BOX	1 BOX	7.23
	3/4"	35607B	50 / BOX	1 BOX	
	7/8"	35608B	50 / BOX	1 BOX	
	1 1/8"	35611B	25 / BOX	1 BOX	



- *Ground Clamps..... 90-92*
- *Ground Screws 92*
- *Ground Wires..... 92*
- *Ground Clips 93*
- *Split Bolt Connectors..... 93*
- *Solderless Terminal Lugs 93*

GROUND FITTINGS





GROUND CLAMPS (BARE WIRE)

- **APPLICATION:** Use to secure bare copper ground wire to 3/8" rebar through 1" pipe. Indoors or outdoors.

Bronze

Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	3/8" - 1"	36910B	100 / BOX	1 BOX	27.37



GROUND CLAMPS (BARE WIRE)

- **APPLICATION:** Use to secure the bare copper ground wire to a 1/2" through 1" pipe. Indoors or outdoors.

Bronze

Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2" - 1"	36010B	25 / BOX	1 BOX	47.13



GROUND CLAMPS (BARE WIRE)

- **APPLICATION:** Use to secure the bare copper ground wire to a 1 1/4" through 2" pipe. Indoors or outdoors.

Bronze

Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1 1/4" - 2"	36020B	25 / BOX	1 BOX	10.57

GROUND CLAMPS (ARMORED CABLE)

- **APPLICATION:** Use to secure the grounding wire to a 1/2" through 1" pipe. Indoors or outdoors.

Bronze

Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2" - 1"	36110	1 / BAG	15 BAGS	3.69



GROUND CLAMPS (BARE WIRE) - FOR DIRECT BURIAL

- **APPLICATION:** Use to secure the bare copper ground wire to a 1/2" through 1" pipe. Indoors or outdoors. Embedded in concrete.

Bronze

Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2" - 1"	36019	1 / BAG	15 /BAGS	2.97



GROUND CLAMPS (BARE WIRE)

- **APPLICATION:** Use to secure the bare copper ground wire to a 1/2" through 1" pipe. Indoors or outdoors.

Zinc

Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2" - 1"	16010B	25 / BOX	1 BOX	49.43



GROUND CLAMPS (ARMORED CABLE)

- **APPLICATION:** Use to secure the grounding wire to a 1/2" through 1" pipe. Indoors or outdoors.

Zinc

Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2" - 1"	16110	1 / BAG	15 BAGS	3.25



GROUND ROD CLAMPS

- **APPLICATION:** Use to connect bare copper ground wire to a drive ground rod. Indoors or outdoors.

Bronze



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	35905B	50 / BOX	1 BOX	66.83
	5/8"	35906B	50 / BOX	1 BOX	50.97



GROUND SCREWS

- **APPLICATION:** Use to ground a wiring device to a steel outlet box.

Steel

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	#10-32	63299	100 / BOX	1 BOX	5.39



GROUND WIRES

- **APPLICATION:** Use to ground the branch wire to the wall of a steel outlet box.

Copper

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	#14 AWG SOL	63188	100 / BOX	1 BOX	1.3



GROUND CLIPS

- **APPLICATION:** Use to connect the grounding wire to the sidewall of a steel outlet box.

Steel

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	#14 - #12	63099	100 / BOX	10 BOX	4.23



SPLIT BOLT CONNECTORS

- **APPLICATION:** Used to join two copper conductors together when tapping, splicing or terminating. Indoors or outdoors.

Copper



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	16 STR - 8 STR	32408B	100 / BOX	1 BOX	3.11
	6 SOL - 2 STR	32402B	100 / BOX	1 BOX	14.14
	2 SOL - 2/0 STR	32320B	25 / BOX	1 BOX	8.11
	2 SOL - 3/0	32330B	25 / BOX	1 BOX	10.16



SPLIT BOLT CONNECTORS

- **APPLICATION:** Used to join two copper conductors together when tapping, splicing or terminating. Indoors or outdoors. Use oxide-inhibiting compound when connecting aluminum ACSR or aluminum to copper conductors.

Tin Plated Copper



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
WITH SPACER BAR					
BULK	10 STR - 6STR	32004B	25 / BOX	1 BOX	3.11
	16 STR - 8STR	32008B	1 / BOX	1 BOX	



SOLDERLESS TERMINAL LUGS

- **APPLICATION:** Use to connect a wire or wires to a metal enclosure. Indoors or outdoors.


Copper



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	#8 - #2	32602B	200 / BOX	1 BOX	10.14
	#6 - 1/0	32510B	100 / BOX	1 BOX	11.16
	#2 - 4/0	32540B	10 / BOX	1 BOX	2.51





- Non-Fused AC Disconnects..... 96
- AC Whips 96

AC DISSCONNECTS



FUSED AC DISCONNECTS

Steel

- **APPLICATION:** Used to stop the power from going to an air conditioner unit to allow for safe working conditions. 120/240 VOLTS



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2" x 6'	HF30R	1 / BOX	1 BOX	2.70
	3/4" x 6'	HF60R	1 / BOX	1 BOX	2.80



NON-FUSED AC DISCONNECTS

Steel

- **APPLICATION:** Used to stop the power from going to an air conditioner unit to allow for safe working conditions. 120/240 VOLTS



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	60 AMP	HNF60R	1 / BOX	1 BOX	2.30



NON-METALLIC AC DISCONNECTS

PPE-PS

- **APPLICATION:** Used to stop the power from going to an air conditioner unit to allow for safe working conditions in coastal applications. 120/240 VOLTS. Fire Rating UL94V-0.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	60 AMP	NMHNF60R	1 / BOX	1 BOX	1.00
BULK	60 AMP	NMHNF60R10	10 / BOX	1 BOX	10.00



AC WHIPS

PVC

- **APPLICATION:** Use to connect AC disconnects to AC compressor. Indoors or outdoors.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2" x 6'	69126	1 / BAG	6 BAGS	12.0
	3/4" x 6'	69346	1 / BAG	6 BAGS	16.4

CATALOG INDEX



ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.
01805B	63	04015B	56	05712B	35	12112B	10	16110	91	20830B	82
01807B	63	04020B	56	05715B	35	12115B	10	16203B	44	22205B	15
01810B	63	04025B	56	05720B	35	12120B	10	16205B	44	25716B	86
01812B	63	04030B	56	05803B	34	12125B	10	16207B	44	26212	76
01815B	63	04203B	34	06305B	44	12130B	10	16210B	44	26214	76
01820B	63	04205B	34	06307B	44	12135B	10	16212B	44	27209 ¹	84
01825B	63	04207B	34	06405B	60	12140B	10	16215B	44	27309 ²	84
01830B	63	04210B	34	06407B	60	12201B	12	16220B	44	27625B	18
01835B	63	04212B	34	06410B	60	12210B	12	16310B	60	27630B	18
01840B	63	04215B	34	06412B	60	12211B	12	16312B	60	27635B	18
01905B	63	04220B	34	06415B	60	12212B	12	16315B	60	27640B	18
01907B	63	04225B	34	06420B	60	12215B	12	16320B	60	31205B	65
01910B	63	04230B	34	06425B	60	12220B	12	16325B	60	31207B	65
01912B	63	04235B	34	06430B	60	12225B	12	16330B	60	31210B	65
01915B	63	04240B	34	06435B	60	12230B	12	16335B	60	31215B	65
01920B	63	04403B	32	06440B	60	12235B	12	16340B	60	31230B	65
01925B	63	04405B	32	06605B	42, 77	12240B	12	16405B	60	31235B	65
01930B	63	04407B	32	06607B	42, 77	12301B	10	16407B	60	31240B	65
01935B	63	04410B	32	06703B	33, 41	12401B	12	16903B	45	31312B	65
01940B	63	04412B	32	06805B	45	12502B	37	16905B	45	31320B	65
02007B	13	04415B	32	07005B	56	12505B	37	16907B	45	31325B	65
02101B	13	04420B	32	07007B	56	12506B	37	16910B	45	32004B	93
02110B	13	04505B	32	07010B	56	12543B	37	16911B ¹	84	32008B	93
02111B	13	04507B	32	07012B	56	13205B	65	16912B ²	84	32320B	93
02112B	13	04510B	32	07015B	56	13305B	65	16913B ²	84	32330B	93
02115B	13	04512B	32	07020B	56	13307B	65	16914B	45	32402B	93
02120B	13	04515B	32	07025B	56	13405B	65	16915B	45	32408B	93
02125B	13, 51	04520B	32	07030B	56	13407B	65	16920B	45	32510B	93
02130B	13, 51	04803B	33	07035B	56	13410B	65	16921B ⁶	84	32540B	93
02135B	13, 51	04805B	33	07040B	56	13505B	65	16933B ¹⁰	84	32602B	93
02140B	13, 51	04807B	33	07210B	77	13507B	65	16934B ¹²	84	33205B	64
02210B	15	04905B	17, 36	07310B	77	13510B	65	17310B	18, 52	33210B	23
02211B	15	04907B	17, 36	07410B	77	13512B	65	18705B	24	33212B	23
02212B	15	04910B	17, 36	07412B	77	13605B	65	18707B	24	33215B	23
02215B	15	05103B	40	07415B	77	13607B	65	18710B	24	33220B	23
02220B	15	05107B	40	07420B	77	13610B	65	18712B	24	33225B	23
02225B	15, 52	05110B	40	08112B	77	13612B	65	18715B	24	33230B	23
02230B	15	05112B	40	08212B	77	13615B	65	18720B	24	33235B	23
02230B	52	05115B	40	09115B	77	13715B	65	18725B	24	33240B	23
02235B	15	05120B	40	10220B	77	13905B	19	18730B	24	33520B	80
02240B	15	05205B	61	10420B	77	14205	54	18735B	24	33525B	80
02240B	52	05207B	61	10520B	77	14207	54	18740B	24	35600B	88
02301B	13	05210B	61	11001B	38	14305B	20	18810B	21	35607B	88
02401B	15	05212B	61	11005B	38	14307B	20	19005	53	35608B	88
02705B	21	05215B	61	11007B	38	14405	19	19007	53	35610B	88
02707B	21	05220B	61	11010B	38	14407	19	19205B	55	35611B	88
02805B	21	05225B	61	11012B	38	14605B	20	19207B	55	35905B	92
02807B	21	05230B	61	11015B	38	14607B	20	19305B	30	35906B	92
02905B	21	05235B	61	11020B	38	15105B	17, 36	19307B	30	36010B	90
02907B	21	05240B	61	11025B	38	15301B	18, 42	19310B	30	36019	91
03705B	19	05310B	79	11030B	38	15303B	18, 42	19315B	30	36020B	90
03707B	19	05312B	40, 79	11035B	38	15304B	18, 52	19320B	30	36029	90
03905B	19	05315B	40, 79	11040B	38	15305B	17, 36	19330B	30	36110	91
03907B	19	05320B	40, 79	11103B	37	15306B	18, 52	19340B	30	36910B	90
04005B	56	05705B	35	11105B	37	15307B	17, 36	19623B ¹	84	38001B	79
04007B	56	05707B	35	12101B	10	15510B	17	20815B	82	38002B	79
04010B	56	05710B	35	12110B	10	15803B	35, 42	20820B	82	38003B	79
04012B	56	05711B	35, 41	12111B	10	16010B	91	20825B	82	38020B	79

ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.
38040B	79	56712B	28	57520B	25, 67	58235B	70	58840B	73	59507B	81
38041B	79	56715B	28	57605B	26, 69	58240B	70	58905B	73	59510	74
38060B	79	56720B	28	57607B	26, 69	58305B	74	58907B	73	59510B	81
38061B	79	56725B	28	57610B	26, 69	58307B	74	58910B	73	59512	74
38080B	79	56730B	28	57612B	26, 69	58310B	74	58912B	73	59512B	81
38081B	79	56735B	28	57615B	26, 69	58312B	74	58915B	73	59513B	82
50504B	79	56740B	28	57620B	26, 69	58315B	74	58920B	73	59515	74
50505B	79	56805B	25, 68	57699B	78	58320B	74	58925B	73	59515B	81
50510B	79	56807B	25, 68	57705B	27, 69	58325B	74	58930B	73	59520	74
50512B	79	56810B	25, 68	57707B	27, 69	58330B	74	58935B	73	59520B	81
50515B	79	56812B	25, 68	57710B	27, 69	58335B	74	58940B	73	59521B	82
50520B	79	56815B	25, 68	57712B	27, 69	58340B	74	59005B	29	59605B	71
50920B	80	56820B	25, 68	57715B	27, 69	58405B	73	59007B	29	59607B	71
50925B	80	56930B	29	57720B	27, 69	58407B	73	59010B	29	59610B	71
51061B	82	56935B	29	57805B	30	58410B	73	59012B	29	59612B	71
51062B	82	56940B	29	57807B	30	58412B	73	59015B	29	59615B	71
51063B	82	57005B	27	57810B	30	58415B	73	59020B	29	59620B	71
51320B	80	57007B	27	57812B	30	58420B	73	59025B	29	59625B	71
51325B	80	57010B	27	57815B	30	58425B	73	59030B	29	59630B	71
53212	65	57012B	27	57820B	30	58430B	73	59035B	29	59635B	71
53220	65	57015B	27	57825B	30	58435B	73	59040B	29	59640B	71
54012	53	57020B	27	57830B	30	58440B	73	59105B	74	59705B	72
54020	53	57025B	27	57835B	30	58505B	29	59107B	74	59707B	72
54112	56	57030B	27	57840B	30	58507B	29	59110B	74	59710B	72
54120	56	57035B	27	57905B	26, 69	58510B	29	59115B	74	59712B	72
55505B	26, 68	57040B	27	57907B	26, 69	58512B	29	59120B	74	59715B	72
55507B	26, 68	57105B	28	57910B	26, 69	58515B	29	59130B	74	59720B	72
55510B	26, 68	57107B	28	57912B	26, 69	58520B	29	59140B	74	59725B	72
55512B	26, 68	57110B	28	57915B	26, 69	58525B	29	59205B	74	59730B	72
55515B	26, 68	57112B	28	57920B	26, 69	58605B	72	59207B	74	59735B	72
55520B	26, 68	57115B	28	57925B	78	58607B	72	59210B	74	59740B	72
55805B	27, 69	57120B	28	58005B	77	58610B	72	59215B	74	59805B	71
55807B	27, 69	57125B	28	58007B	77	58612B	72	59220B	74	59807B	71
55810B	27, 69	57130B	28	58010B	77	58615B	72	59230B	74	59810B	71
55812B	27, 69	57135B	28	58012B	77	58620B	72	59240B	74	59812B	71
55815B	27, 69	57140B	28	58015B	77	58625B	72	59305B	29	59815B	71
55820B	27, 69	57305B	26, 68	58020B	77	58630B	72	59307B	29	59820B	71
56205B	25, 67	57307B	26, 68	58025B	77	58635B	72	59310B	29	59825B	71
56207B	25, 67	57310B	26, 68	58030B	77	58640B	72	59312B	29	59830B	71
56210B	25, 67	57312B	26, 68	58035B	77	58705B	28	59315B	29	59835B	71
56212B	25, 67	57315B	26, 68	58040B	77	58707B	28	59320B	29	59840B	71
56215B	25, 67	57320B	26, 68	58050	80	58710B	28	59325B	29	59905B	71
56220B	25, 67	57405B	30	58060	80	58712B	28	59330B	29	59907B	71
56405B	25, 67	57407B	30	58105B	30	58715B	28	59335B	29	59910B	71
56407B	25, 67	57410B	30	58107B	30	58720B	28	59340B	29	59912B	71
56410B	25, 67	57412B	30	58110B	30	58725B	28	59405B	72	59915B	71
56412B	25, 67	57415B	30	58112B	30	58730B	28	59407B	72	59920B	71
56415B	25, 67	57420B	30	58115B	30	58735B	28	59410B	72	59925B	71
56420B	25, 67	57425B	30	58120B	30	58740B	28	59412B	72	59930B	71
56505B	25, 68	57430B	30	58125B	30	58805B	73	59415B	72	59935B	71
56507B	25, 68	57435B	30	58130B	30	58807B	73	59420B	72	59940B	71
56510B	25, 68	57440B	30	58135B	30	58810B	73	59425B	72	60010	86
56512B	25, 68	57499B	78	58140B	30	58812B	73	59430B	72	60020	86
56515B	25, 68	57505B	25, 67	58212B	70	58815B	73	59435B	72	60105B	48
56520B	25, 68	57507B	25, 67	58215B	70	58820B	73	59440B	72	60107B	48
56705B	28	57510B	25, 67	58220B	70	58825B	73	59505	74	60110B	48
56707B	28	57512B	25, 67	58225B	70	58830B	73	59505B	81	60199	86
56710B	28	57515B	25, 67	58230B	70	58835B	73	59507	74	60222B	81

ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.
60322B	81	61512B	23	62420B	15	62897	86	64309B	59	64391B	57
60416B	81	61515B	23	62425B	15, 52	62897B	86	64310B	58	64392B	57
60525B	81	61520B	23	62430B	15, 52	62899	86	64311B	57	64393B	58
60605B	85	61602B	24	62435B	15	62899XLB	86	64312B	58	64394B	58
60607B	85	61605B	24	62440B	15, 52	62905B	50	64313B	58	64395B	58
60610B	85	61610B	24	62501B	16	62907B	50	64314B	58	64396B	58
60612B	85	61612B	24	62502B	16	63099	93	64317B	57	64397B	59
60615B	85	61615B	24	62503B	16	63188	92	64320B	58	64398B	59
60625	81	61620B	24	62505B	16	63299	92	64323B	58	64399B	59
60646B	81	61705B	66	62507B	16	63505B	51	64325B	57	64405B	22
60704B	85	61707B	66	62510	84	63507B	51	64327B	57	64407B	22
60705B	85	61805B	63	62510B	16	63510B	51	64331B	57	64410B	22
60707B	85	61807B	63	62512B	16	63512B	51	64332B	57	64412B	22
60710B	85	61810B	63	62515B	16	63515B	51	64333B	58	64415B	22
60712B	85	61812B	63	62520B	16	63520B	51	64334B	58	64420B	22
60715B	85	61815B	63	62525B	16	63605B	52	64335B	58	64425B	22
60720B	85	61820B	63	62530B	16	63607B	52	64336B	58	64430B	22
60797B	85	61905B	62	62535B	16	63610B	52	64338B	59	64435B	22
60812B	82	61907B	62	62540B	16	63612B	52	64340B	59	64440B	22
60815B	82	61910B	62	62570B	16	63615B	52	64341B	57	64505B	22
60820B	82	61912B	62	62601B	17	63620B	52	64342B	57	64507B	22
60825B	82	61915B	62	62602B	17	64001B	53	64343B	58	64510B	22
61010	84	61920B	62	62603B	17	64005B	53	64344B	58	64512B	22
61050	84	61925B	62	62610B	17	64007B	53	64345B	58	64515B	22
61105B	66	61930B	62	62612B	17	64010B	53	64346B	58	64520B	22
61107B	66	61935B	62	62615B	17	64012B	53	64347B	59	64525B	22
61110B	66	61940B	62	62620B	17	64015B	53	64348B	59	64530B	22
61112B	66	62105B	8	62625B	17	64020B	53	64349B	59	64535B	22
61115B	66	62107B	8	62630B	17	64025B	53	64350B	59	64540B	22
61120B	66	62171B	42, 76	62640B	17	64030B	53	64352B	57	64605B	58
61125B	23	62180B	37	62700B	85	64035B	53	64353B	58	64607B	59
61130B	23	62191B	76	62705B	11	64040B	53	64354B	58	64608B	59
61135B	66	62192B	76	62707B	11	64105B	55	64355B	58	64617B	59
61135B*	23	62193B	76	62710B	11	64107B	55	64356B	58	64618B	59
61140B	66	62194B	76	62711B	11	64110B	55	64357B	59	64619B	59
61140B*	23	62205B	8	62712B	11	64112B	55	64358B	59	64620B	59
61205B	67	62207B	8	62715B	11	64115B	55	64359B	59	64625B	58
61207B	67	62291B	76	62720B	11	64120B	55	64360B	59	64630B	59
61210B	67	62292B	76	62725B	11, 50	64125B	55	64361B	57	64635B	58
61212B	67	62293B	76	62730B	11	64130B	55	64362B	57	64735B	58
61215B	67	62294B	76	62735B	11, 50	64135B	55	64363B	58	64835B	59
61220B	67	62305B	14	62740B	11, 50	64140B	55	64364B	58	64905B	14
61225B	24	62307B	14	62770B	11	64205B	55	64365B	58	64907B	14
61225B	67	62310B	14	62805B	12	64207B	55	64366B	58	64910B	14
61230B	24	62311B	14	62807B	12	64210B	55	64367B	59	64935B	59
61235B	24	62312B	14	62809B	12	64212B	55	64368B	59	65005B	15
61235B	67	62315B	14	62810B	12	64215B	55	64369B	59	65007B	15
61240B	24	62320B	14	62811B	12	64220B	55	64380B	59	65010B	15
61240B	67	62325B	14, 51	62812B	12	64225B	55	64381B	57	65103B	41
61305B	23	62330B	14	62815B	12	64235B	55	64382B	57	65110B	41
61307B	23	62335B	14	62820B	12	64300B	59	64383B	58	65112B	41
61401B	24	62340B	14	62825	50	64301B	57	64384B	58	65115B	41
61402B	24	62401B	15	62825B	12	64302B	57	64385B	58	65310B	58
61410B	24	62402B	15	62830	50	64303B	58	64386B	58	65313B	58
61425B	66	62410B	15	62830B	12	64305B	57	64387B	59	65325B	57
61505B	23	62411B	15	62835B	12	64306B	58	64388B	59	65335B	57
61507B	23	62412B	15	62840B	12	64307B	57	64389B	59	65425B	57
61511B	23	62415B	15	62851B	86	64308B	58	64390B	59	65435B	57

ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.
65505B	52	67821B	87	75105B	40	82312B	14	86912B	47	94510	54
65507B	52	67822B	88	75111B	40	82315B	14	86915B	47	94510B	20
65510B	52	67825B	87	75205B	61	82320B	14	86920B	47	94512B	20
65512B	52	67830B	87	75207B	61	82325B	14	86925B	47	94705B	20
65515B	52	67840B	87	75210B	61	82330B	14	86930B	47	94707B	20
65520B	52	67850B	87	75212B	61	82335B	14	90605B	17, 36	94710B	19, 20
65525B	52	67860B	87	75215B	61	82340B	14	90607B	17, 36	94712B	19, 20
65530B	52	67870B	87	75220B	61	82405B	51	90610B	36	95205B	64
65535B	52	67880B	87	75225B	61	82407B	51	91003B	38	95207B	64
65540B	52	67890B	87	75230B	61	82410B	51	91005B	38	95210B	64
65600B	88	68105B	64	75235B	61	82412B	51	91007B	38	95212B	64
65610B	88	68107B	64	75240B	61	82415B	51	91010B	38	95215B	64
65635B	58	68110B	64	75400B	38	82420B	51	91012B	38	95220B	64
65705B	36	68112B	64	75400BP	38	82705B	11	91015B	38	95225B	64
65805B	36	68115B	64	75401B	38	82707B	11	91020B	38	95230B	64
66203B	46	68120B	64	75401BP	38	82710B	11	91603B	35	95235B	64
66205B	46	68125B	64	75402B	38	82712B	11	92105B	10	95240B	64
66206B	46	68130B	64	75402BP	38	82715B	11	92107B	10	96125B	63
66207B	86	68135B	64	75403B	38	82720B	11	92110B	10	96130B	63
66210B	46	68140B	64	75403BP	38	82725B	11	92112B	10	96135B	63
66211B	86	68205B	62	75404B	38	82730B	11	92115B	10	96140B	63
66212B	46	68305B	62	75404BP	38	82735B	11	92120B	10	96203B	44
66215B	46	68307B	62	76203B	47	82740B	11	92125B	10	96205B	44
66220B	46	68405B	62	76205B	47	82740B	50	92130B	10	96207B	44
66225B	46	68407B	62	76207B	47	84205B	34	92135B	10	96210B	44
66230B	46	68410B	62	76210B	47	84207B	34	92140B	10	96212B	44
66235B	46	68505B	62	76212B	47	84210B	34	92505B	16	96215B	44
66240B	46	68507B	62	76215B	47	84212B	34	92507B	16	96220B	44
66325B	58	68510B	62	76220B	47	84215B	34	92510B	16	96225B	44
66335B	58	68512B	62	76905B	48	84220B	34	92512B	16	96230B	44
66377B	87	68521B	62	76907B	48	84403B	32	92515B	16	96312	82
66388B	87	68522B	62	76910B	48	84405B	32	92520B	16	96920B	45
66399B	87	68525B	62	76912B	48	84407B	32	92525B	16	96925B	45
66425B	58	68527B	62	76913B1	84	84410B	32	92530B	16	74505B	48
66503B	46	68529B	62	76915B	48	84412B	32	92535B	16	86205B	46
66505B	46	68605B	62	76920B	48	84415B	32	92540B	16	86905B	47
66507B	46	68607B	62	76923B2	84	84420B	32	93503B	48	92135B	50
66510B	46	68610B	62	77631B	78	84805B	33	93505B	48	HF30R	96
66512B	46	68612B	62	77702B	78	84807B	33	93507B	48	HF60R	96
66515B	46	68615B	62	77902B	78	85103NB	41	93510B	48	HNF60R	96
66520B	46	68720B	62	77906B	78	85107NB	41	93512B	48	NMHNF60R	96
66903B	47	69126	96	77910	78	85703NB	37	93515B	48	NMHNF60R10	96
66905B	47	69346	96	77920	78	85803NB	37	93520B	48		
66907B	47	69699B	87	79910B	87	86203B	46	94105B	54		
66910B	47	72505B	85	79950B	87	86207B	46	94107B	54		
66912B	47	72507B	85	82105B	13	86210B	46	94110B	54		
66915B	47	72510B	85	82107B	13	86212B	46	94205B	54		
66920B	47	72515B	85	82110B	13	86215B	46	94207B	54		
66925B	47	72520B	85	82112B	13	86220B	46	94210B	54		
66930B	47	72599B	86	82115B	13	86225B	46	94212B	54		
66935B	47	74507B	48	82120B	13	86230B	46	94312B	54		
66940B	47	75005B	18	82125B	13	86240B	46	94405	19		
67607B	77	75007B	18	82130B	13	86307B	44	94407	19		
67707B	77	75010B	18	82135B	13	86525B	46	94410	19		
67800B	87	75012B	18	82140B	13	86703B	33, 41	94505	54		
67801B	88	75015B	18	82305B	14	86903B	47	94505B	20		
67810B	87	75020B	18	82307B	14	86907B	47	94507	54		
67820B	87	75102B	40	82310B	14	86910B	47	94507B	20		

NOTES

In your order, please include the following information:

- Your name
- Company name
- Phone number
- Sales representative group (if applicable)
- Part numbers
- Payment method
- Expected delivery date

Electrical Distributors



101 Production Drive • Harrison, OH 45030

1-800-749-3261 • halexco.com

PRINTED IN THE USA

HALEX is a registered trademark of Marmon Holdings a BH Company. Trade names and corporate references herein are for identification purposes only and are not intended for promotion purposes. All product or specification information is subject to change without notice. Copyright © 2025 Halex. All Rights Reserved.